

Distinctive Lighting FOR EXTERIORS

Welcome to one of the most comprehensive and design driven collections of lighting for outdoors.

With over 400 different designs and 100 styles to choose from across a broad selection of sizes, there is an option for all applications, including lifestyle models for outdoor living spaces.

All of these products offer detail in design and quality in manufacture, with many models featuring materials and finishes that allow us to give enhanced product warranties. This includes products for the severest ocean facing locations with materials that can withstand the harshest of conditions.

CONTENTS



Outdoor Living

p22



American Traditional

p62



Coastal Lighting

p134



Landscape





Transitional

р30



Country Traditional

p106



Modern

p168



LED Lamps

OUTDOOR LIVING

For the first time, we have brought together a series of dedicated products for outdoor living spaces, aimed to enhance and bring the indoors outside. More and more people, whether at home or in a hotel, bar or restaurant, enjoy being outdoors to eat, relax and spend social time together. Our Outdoor Living models offer new lighting options such as Outdoor Chandeliers to bring new life to these locations.





COASTAL

Planet earth is covered by more than 70% ocean, and has more than 620,000 miles of coastline. With a 3.5% content of salt in seawater, and with coastlines often accompanied by extreme temperatures, sun and high winds, it is no surprise that coastal damage due to saline conditions is one of the major outdoor lighting challenges in such locations. This Coastal range delivers solutions that use materials with this very much in mind. Robust, rust resistant and UV stable to resist the harshest of climates, these fittings combine technical competence with design, style and variety.

LED LAMPS

The majority of our outdoor fittings use E27 or E14 lamp-holders, which makes them suitable to use retrofit LED lamps. Our range offers an LED lamp solution for every such fitting in this catalogue. Using the latest LED filament technology, these energy efficient lamps offer good lumen output, look stylish with their retro vintage influences, yet run at a cool temperature and have a 25,000 hour life expectancy.



See our comprehensive collection of Distinctive Lighting for Interiors...



CONTEMPORARY RANGES



TRADITIONAL RANGES



BATHROOM LIGHTING



PORTABLE LIGHTING

Ask your local representative for a copy of Distinctive Lighting for Interiors today!

VISUAL INDEX - OUTDOOR WALL



_P179



p187







p44-45



p126



p98-99

Ŷ

p94-95





p125

p72



p36



р36

p162-163



p138-139



p46



p164



p59



p175



p128



p58



p115



p166



p24-25



p117



p116



p124



p50



p104-105

p42





p172



p124

p80-83



p129



p173

p157



p131, 151



p114



p187



p88-90



p91-93



p131, 201



p131, 200-201



p178







p143



p77



p184



p184



p185

p125

















VISUAL INDEX - OUTDOOR WALL



p148

p121





p67

p133, 173



p175

p122



p123





p136-137



p161



p161



p174



p174



p157



p127



P73



p178



p131, 181



p184



p126



p128




p149



p149



p150



p142-143



p177



p176-177



p96



p41



p42



p182



p131



p55



p152



p127



p153



p140



p51









VISUAL INDEX - OUTDOOR WALL



p130, 132



p60

6

p165



p78-79



p103



p71



p127

p69

Î

p130



p109



p108





p155



p118-119



p118

Ì

p126



p100-102

p124



p167



p124



p52-53



p129



p38-39




p61



p49







p183



p160



p160



p180-181



p31, 54



p154

p157



p103







VISUAL INDEX - OUTDOOR WALL



p154



p126



p186

p186



p65



p182



p84-87

p63-64



p40



p74-75



p75



p156



p131

p129



p56-57



p143



p110



p110



p155



p120



p128





p113



p112



p112

VISUAL INDEX - OUTDOOR CHAIN





p**89-90**

p91-93



p27, 66-67



p122



p76



p123



p148

p149



p150

VISUAL INDEX - OUTDOOR CHAIN



p171



p170-171



p47



p96



p28-29, 41



p55



p152

p43



р60



p42

p127



p165



p**79**



p70-71



p69



p108

p61



p68

p48-49



p102



p34



p53



p151




p38-39



p159



VISUAL INDEX - OUTDOOR CEILING



p128

p124

p81

p143

15





p178



p118





p97



p145



p86




p75





p112

VISUAL INDEX - OUTDOOR PEDESTAL



p114



p89-93











p67



p173

p172



p122



p174



p149



p150



p130



p96



p55

VISUAL INDEX - OUTDOOR PEDESTAL





p127



p79



p70



p108



p68

Ŷ

p118-119



p167



_P102



p53



p38



p49



P97



p34



p32-33



p167



p151



p110



p54



p120



p65



p113



p112



VISUAL INDEX - ACCESSORIES



Landscape Lighting Accessories p208-209



LED Lamps p210-211

VISUAL INDEX - OUTDOOR PILLAR/BOLLARD



p**98**



p117







p90



p148



p175



p172



p149



p109





p102



p167







p87



p111


VISUAL INDEX - OUTDOOR LAMP POST



p111

OUTDOOR LIVING

It has become a popular trend to extend home living areas into gardens, patios and verandas. We have a number of more decorative IP44-based solutions that help to bring the inside outdoors. Either by using chandeliers or nesting multiple pendants over tables or seating areas, great style can be brought to these outdoor leisure areas.







Models shown: 27761 & 27762



Finishes available:



overlaying metal ribbons

• mouth-blown, clear seeded glass

27762 1lt Small Wall Lantern

H: 267mm W: 255mm P: 310mm Finish: Vintage Iron (VI) Max. Wattage: 1 × 60W E27 IP Rating: IP44


27760 **3lt Outdoor Chandelier**

H: 476mm W: 470mm Drop Range: 703mm - 1316mm (Supplied with 1 × 150mm and 2 × 300mm rods.) Finish: Vintage Iron (VI) Max. Wattage: 3 × 40W E14 IP Rating: IP44

27761

5lt Outdoor Chandelier

H: 667mm W: 673mm Drop Range: 893mm - 1506mm (Supplied with 1 × 150mm and 2 × 300mm rods.) Finish: Vintage Iron (VI) Max. Wattage: 5 × 40W E14 IP Rating: IP44



Model shown: 30422

OUTDOOR LIVING





- ideally suited to be installed in dramatic clusters
- mouth-blown, clear seeded glass

30422 1lt Chain Lantern

H: 391mm W: 279mm Drop Range: 494mm - 2315mm (Supplied with 1829mm of chain.) Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

See more like this on p40

27149 **3lt Chain Lantern**


H: 476mm W: 305mm Drop Range: 565mm - 2362mm (Supplied with 1829mm of chain.) Finish: Grey/Gold (GGD) Max. Wattage: 3 × 60W E14 IP Rating: IP44

See more like this on p67

30421 **3lt Chain Lantern**

H: 480mm W: 356mm Drop Range: 583mm - 2442mm (Supplied with 1829mm of chain.) Finish: Textured Black (TBK) Max. Wattage: 3 × 60W E14 IP Rating: IP44

See more like this on p40



Model shown: 27875

OUTDOOR LIVING



Finishes available:



• mouth-blown, clear seeded glass

27818 5lt Outdoor Chandelier

H: 508mm W: 663mm Drop Range: 624mm - 1473mm (Supplied with 2×152 mm & $2 \times$ 305mm rods.) Finish: Weathered Zinc (WZC) Max. Wattage: 5 × 60W E27 IP Rating: IP44

See more like this on p44

27824 1lt Small Chain Lantern

H: 327mm W: 154mm Drop Range: 432mm - 2306mm (Supplied with 1829mm of chain) Finish: Weathered Zinc (WZC) Max. Wattage: $1 \times 60 \text{W}$ E27 IP Rating: IP44

See more like this on p45

27875 5lt Outdoor Chandelier

H: 248mm W: 610mm Drop Range: 305mm - 1219mm (Supplied with 2×152 mm & $2 \times$ 305mm rods.) Finish: Grey Bronze (GBZ) Max. Wattage: 5 × 75W E27 IP Rating: IP44

See more like this on p41

25972

1lt Small Chain Lantern

H: 246mm W: 128mm Drop Range: 330mm - 1327mm (Supplied with 965mm of chain) Finish: Grey Bronze (GBZ) Max. Wattage: 1 × 75W E27 IP Rating: IP44 See more like this on p41

25972



Transitional describes designs that derive from classic styles but have been conceived with a contemporary edge. Transitional lanterns are less ornate than their classic counterparts, but aren't as streamlined or minimalist as modern styles. They combine the best of both worlds for a clean, comfortable look wherever they are placed.






p58 26052





30





Models shown: 30408 & 30410



Finishes available:



- nautical style with a 21st-century update
- mouth-blown, clear seeded glass

30408 11t Medium Wall Lantern

H: 462mm W: 241mm P: 304mm Finish: Distressed Black (DBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

30409 11t Small Wall Lantern

H: 337mm W: 178mm P: 230mm Finish: Distressed Black (DBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

30410 **1lt Medium Pedestal**

H: 529mm W: 241mm P: 241mm Finish: Distressed Black (DBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44





Finishes available:



rustic nautical style lanterns

• mouth-blown, clear seeded glass

30397 11t Large Wall Lantern

H: 429mm W: 241mm P: 267mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 100W E27 IP Rating: IP44

30402

1lt Medium Chain Lantern

H: 301mm W: 203mm Drop Range: 400mm - 1980mm (Supplied with 1620mm of chain) Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 100W E27 IP Rating: IP44

30401

1lt Medium Pedestal Lantern

H: 440mm W: 203mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 100W E27 IP Rating: IP44











Finishes available:



rustic nautical style lanterns

• mouth-blown, clear seeded glass

30400 1lt XL Wall Lantern

H: 497mm W: 279mm P: 309mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 100W E27 IP Rating: IP44

30399

1lt Small Wall Lantern

H: 317mm W: 172mm P: 194mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 60W E27* IP Rating: IP44

*Requires a golf ball sized lamp.

30398 1lt Medium Wall Lantern

H: 362mm W: 203mm P: 225mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 100W E27 IP Rating: IP44

Finishes available:



PBS

integrated LED moduleclear water glass

30248 Large LED Wall Light

H: 304mm W: 159mm P: 106mm Finish: Dark Brown (DBR) Max. Wattage: 14W Integrated LED LED details: 1000Lm, 3000k (Not Dimmable) IP Rating: IP44

30250 Small LED Wall Light

H: 203mm W: 159mm P: 106mm Finish: Dark Brown (DBR) Max. Wattage: 14W Integrated LED LED details: 1000Lm, 3000k (Not Dimmable) IP Rating: IP44

30249 Large LED Wall Light

H: 304mm W: 159mm P: 106mm Finish: Painted Brushed Steel (PBS) Max. Wattage: 14W Integrated LED LED details: 1000Lm, 3000k (Not Dimmable) IP Rating: IP44

30251 Small LED Wall Light

H: 203mm W: 159mm P: 106mm Finish: Painted Brushed Steel (PBS) Max. Wattage: 14W Integrated LED LED details: 1000Lm, 3000k (Not Dimmable) IP Rating: IP44



30248

30250





30249

30251



36 **3 YEAR*** GUARANTEE







30448



TRANSITIONAL

Finishes available:



- $\boldsymbol{\cdot}$ accented with lustrous gold bars
- bevelled clear glass

30450 11t Medium Chain Lantern

H: 413mm W: 210mm Drop Range: 513mm - 2951mm (Supplied with 2438mm of chain) Finish: Dark Brown (DBR) Max. Wattage: 1 × 100W E27 IP Rating: IP44

30447

1lt Large Wall Lantern

H: 508mm W: 254mm P: 273mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 100W E27 IP Rating: IP44

30448

1lt Medium Wall Lantern

H: 413mm W: 210mm P: 222mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 100W E27 IP Rating: IP44

30449 1lt Small Wall Lantern

H: 324mm W: 159mm P: 171mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 100W E27 IP Rating: IP44

Finishes available:

DBR

- sophisticated minimalist style
- bevelled clear glass

30470 1lt Large Chain Lantern

H: 508mm W: 254mm Drop Range: 570mm - 3006mm (Supplied with 2438mm of chain.) Finish: Dark Brown (DBR) Max. Wattage: 1 × 100W E27 IP Rating: IP44

30467 11t Medium Wall Lantern

H: 413mm W: 203mm P: 235mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 100W E27 IP Rating: IP44

30469

1lt Medium Pedestal

H: 510mm W: 203mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 100W E27 IP Rating: IP44















- sophisticated minimalist style
- bevelled clear glass

30471 1lt Medium Chain Lantern

H: 413mm W: 203mm Drop Range: 475mm - 2791mm (Supplied with 2438mm of chain.) Finish: Dark Brown (DBR) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

30466 **1lt Large Wall Lantern**

H: 508mm W: 254mm P: 292mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 100W E27 IP Rating: IP44

30468 1lt Small Wall Lantern

H: 318mm W: 152mm P: 184mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 100W E27 IP Rating: IP44



Finishes available: ТВК • inspired by carriage lanterns • mouth-blown, clear seeded glass 30422 1lt Chain Lantern H: 391mm W: 279mm Drop Range: 494mm - 2315mm (Supplied with 1829mm of chain.) Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44 30421 **3lt Chain Lantern** H: 480mm W: 356mm Drop Range: 583mm - 2442mm (Supplied with 1829mm of chain.) Finish: Textured Black (TBK) Max. Wattage: 3 × 60W E14 IP Rating: IP44 30420 1lt Wall Lantern

H: 307mm W: 229mm P: 250mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44







25971



Finishes available:



- streamlined design with traditional details
- clear seedy glass

25972 1lt Small Chain Lantern

H: 246mm W: 128mm Drop Range: 330mm - 1327mm (Supplied with 965mm of chain) Finish: Grey Bronze (GBZ) **Max. Wattage:** 1 × 75W E27 IP Rating: IP44

27875

5lt Outdoor Chandelier

H: 248mm W: 610mm Drop Range: 305mm - 1219mm (Supplied with 2 x 152mm & 2 x 305mm rods.) Finish: Grey Bronze (GBZ) Max. Wattage: 5 × 75W E27 IP Rating: IP44

25970

1lt Medium Wall Lantern

H: 381mm W: 153mm P: 203mm Finish: Grey Bronze (GBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25971

1lt Small Wall Lantern

H: 288mm W: 128mm P: 191mm Finish: Grey Bronze (GBZ) Max. Wattage: 1 × 75W E27 IP Rating: IP44

Finishes available:



- 30394 / 95 / 96 has a streamlined design with clear seedy glass
- 27841 has a classic porthole style with wire-mesh inside frosted glass

30396 1lt Outdoor Chain

H: 246mm W: 128mm Drop Range: 330mm - 1327mm (Supplied with 965mm of chain) Finish: Brushed Aluminum (BA) Max. Wattage: 1 x 75W E27 IP Rating: IP44

30394 11t Medium Wall Lantern

H: 381mm W: 153mm P: 203mm Finish: Brushed Aluminum (BA) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

27841

1lt Wall/Ceiling Fitting

H: 311mm W: 280mm P: 133mm Finish: Brushed Aluminum (BA) Max. Wattage: 1 × 75W E27 IP Rating: IP44

30395 1lt Small Wall Lantern

H: 288mm W: 128mm P: 191mm Finish: Brushed Aluminum (BA) Max. Wattage: 1 × 75W E27 IP Rating: IP44













24766



24765





Finishes available:



nautical inspired style

• clear seedy glass

24767 11t Small Chain Lantern

H: 380mm W: 152mm Drop Range: 450mm - 2890mm (Supplied with 2440mm of chain) Finish: Dark Brown (DBR) Max. Wattage: 1 × 60W E27 IP Rating: IP23

24768

1lt Large Chain Lantern

H: 550mm W: 241mm Drop Range: 620mm - 3060mm (Supplied with 2440mm of chain) Finish: Dark Brown (DBR) Max. Wattage: 1 × 60VV E27 IP Rating: IP23

24764

1lt Small Wall Lantern

H: 292mm W: 152mm P: 165mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 60W E27 IP Rating: IP44

24766 **1lt Large Wall Lantern**

H: 445mm W: 241mm P: 254mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 60W E27 IP Rating: IP44

24765

1lt Medium Wall Lantern

H: 381mm W: 203mm P: 216mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 60W E27 IP Rating: IP44

Finishes available:



- traditional colonial design
- clear seedy glass

27819 2lt Outdoor Ceiling Flush

H: 152mm W: 305mm Finish: Weathered Zinc (WZC) Max. Wattage: 2 × 60W E27 IP Rating: IP44

27820

1lt Large Wall Lantern

H: 404mm W: 224mm P: 244mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27818

5lt Outdoor Chandelier

H: 508mm W: 663mm Drop Range: 624mm - 1473mm (Supplied with 2 × 152mm & 2 × 305mm rods.) Finish: Weathered Zinc (WZC) Max. Wattage: 5 × 60W E27 IP Rating: IP44









27822



27824





TRANSITIONAL

Finishes available:



• traditional colonial design

• clear seedy glass

27822 1lt Small Wall Lantern

H: 278mm W: 154mm P: 173mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27824

1lt Small Chain Lantern

H: 327mm W: 154mm Drop Range: 432mm - 2306mm (Supplied with 1829mm of chain) Finish: Weathered Zinc (WZC) Max. Wattage: 1 x 60W E27 IP Rating: IP44

27821

1lt Medium Wall Lantern

H: 346mm W: 193mm P: 213mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27823

1lt Medium Pedestal Lantern

H: 471mm W: 193mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 60W E27 IP Rating: IP44

Finishes available:



nautical inspired design

clear seedy glass

27827 11t Large Wall Lantern

H: 510mm W: 280mm P: 310mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27830 1lt Small Chain Lantern

H: 272mm W: 178mm Drop Range: 372mm - 2237mm (Supplied with 1829mm of chain) Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27829

1lt Small Wall Lantern

H: 334mm W: 178mm P: 207mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27828 11t Medium Wall Lantern

H: 405mm W: 228mm P: 258mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 60W E27 IP Rating: IP44











27726





27725



Finishes available:



nautical inspired design

• triple plated with powder coated lacquer for lasting beauty

27726 2lt Outdoor Flush Mount

H: 145mm W: 254mm Finish: Brushed Steel (BS) Max. Wattage: 2 × 40W E27 IP Rating: IP44

27729

1lt Small Chain Lantern

H: 196mm W: 134mm Drop Range: 391mm - 1861mm (Supplied with 1524mm of chain) Finish: Brushed Steel (BS) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27727

1lt Medium Wall Lantern

H: 352mm W: 181mm P: 230mm Finish: Brushed Steel (BS) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27725

1lt Half Wall Lantern

H: 288mm W: 178mm P: 114mm Finish: Brushed Steel (BS) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27728

1lt Small Wall Lantern

H: 292mm W: 120mm P: 160mm Finish: Brushed Steel (BS) Max. Wattage: 1 × 60W E27 IP Rating: IP44

Finishes available:

CBZ

• nautical inspired design

• inside etched glass

23195 1lt Mini Wall Lantern

H: 203mm W: 140mm P: 165mm Finish: Copper Bronze (CBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

24956 1lt Chain Lantern

H: 320mm W: 140mm Drop Range: 405mm - 1930mm Finish: Copper Bronze (CBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP23

23194 1lt Small Wall Lantern

H: 273mm W: 197mm P: 222mm Finish: Copper Bronze (CBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

24955 **1**It Pedestal

H: 463mm W: 228mm Finish: Copper Bronze (CBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44







23193





Finishes available:



nautical inspired design

• inside etched glass

23193 1lt Mini Wall Lantern

H: 203mm W: 140mm P: 165mm Finish: Glossy Dark Grey (GDG) Max. Wattage: 1 × 60W E27 IP Rating: IP44

24958 **1lt Chain Lantern**

H: 320mm W: 140mm Drop Range: 405mm - 1930mm Finish: Glossy Dark Grey (GDG) Max. Wattage: 1 × 60W E27 IP Rating: IP23

23192 1lt Small Wall Lantern

H: 273mm W: 197mm P: 222mm Finish: Glossy Dark Grey (GDG) Max. Wattage: 1 × 60W E27 IP Rating: IP44

24957

1lt Pedestal

H: 463mm W: 228mm Finish: Glossy Dark Grey (GDG) Max. Wattage: 1 × 100W E27 IP Rating: IP44

Finishes available:

MGP

- industrial coastal style
- mouth-blown, clear seedy glass

23467 **2lt Flush Mount**

H: 149mm W: 279mm Finish: Matt Grey Patina (MGP) Max. Wattage: 2 × 60W E27 IP Rating: IP44

23468 1lt Chain Lantern

H: 520mm W: 146mm Drop Range: 590mm - 2114mm Finish: Matt Grey Patina (MGP) **Max. Wattage:** 1 × 100W E27 IP Rating: IP23

23469 1lt Wall Lantern

H: 411mm W: 121mm P: 179mm Finish: Matt Grey Patina (MGP) Max. Wattage: 1 × 60W E27 IP Rating: IP44



23467





27793







Finishes available:



- modern-nautical cast cage design
- clear holophane style glass

27792 **2lt Flush Mount**

H: 131mm W: 256mm Finish: Silver (SV) Max. Wattage: 2 × 60W E27 IP Rating: IP44

27793

1lt Medium Wall Lantern

H: 365mm W: 256mm P: 267mm Finish: Silver (SV) Max. Wattage: 1 × 100W E27 IP Rating: IP44

27794

1lt Small Wall Lantern

H: 296mm W: 206mm P: 215mm Finish: Silver (SV) Max. Wattage: 1 × 100W E27 IP Rating: IP44





Model shown: 25856









Finishes available:



- traditional bell-shaped design
- clear seedy outer glass with interior etched opal cylinder

25856 1lt Medium Wall Lantern

H: 425mm W: 235mm P: 273mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25859 1lt Chain Lantern

H: 394mm W: 235mm Drop Range: 490mm - 1420mm (Supplied with 1000mm of chain.) Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 100W E27 IP Rating: IP23

25857

1lt Small Wall Lantern

H: 343mm W: 171mm P: 210mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25858 **1lt Pedestal**

ne i cuestai

H: 525mm W: 235mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

Finishes available:



• clean design with open frame

• satin etched cased opal glass

27895 11t Medium Wall Lantern

H: 451mm W: 178mm P: 196mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27898 1lt Small Chain Lantern

H: 300mm W: 140mm Drop Range: 370mm - 2100mm (Supplied with 1800mm of chain) Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 60W E14 IP Rating: IP44

27896

1lt Small Wall Lantern

H: 300mm W: 140mm P: 158mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 60W E14 IP Rating: IP44

27897 **1lt Large Pedestal**

H: 592mm W: 228mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 100W E27 IP Rating: IP44













Model shown: 27813

Finishes available:



- strong angular style
- brass lampholders
- clear bound glass shade

27815

1lt Small Wall Lantern

H: 241mm W: 190mm P: 209mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 100W E27 IP Rating: IP44

27814

11t Medium Wall Lantern

H: 312mm W: 216mm P: 233mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 100W E27 IP Rating: IP44

27813

2lt Large Wall Lantern

H: 381mm W: 236mm P: 261mm Finish: Dark Brown (DBR) Max. Wattage: 2 × 60W E14 IP Rating: IP44



27814





Finishes available:



• accented with copper-hued plate

• clear bevelled glass

26053 1lt Small Wall Lantern

H: 305mm W: 165mm P: 152mm Finish: Old Painted Bronze (OPB) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

26051

1lt Large Wall Lantern

H: 457mm W: 254mm P: 216mm Finish: Old Painted Bronze (OPB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

26052 11t Medium Wall Lantern

H: 368mm W: 203mm P: 178mm Finish: Old Painted Bronze (OPB) Max. Wattage: 1 × 100W E27 IP Rating: IP44



26053







Finishes available:



• updated 'Shepherd Hook' design

• clear glass

27759 1lt Small Wall Lantern

H: 299mm W: 203mm P: 233mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27757

3lt Large Wall Lantern

H: 631mm W: 254mm P: 298mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 3 × 60W E14 IP Rating: IP44

27758 2lt Medium Wall Lantern

H: 388mm W: 203mm P: 233mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 2 × 60W E14 IP Rating: IP44



Finishes available:



• modern geometric forms

• cream etched glass

25685 **2lt Flush Mount**

H: 162mm W: 330mm Finish: Brushed Bronze (BBZ) Max. Wattage: 2 × 60W E27 IP Rating: IP44

25689 1lt Small Chain Lantern

H: 410mm W: 194mm Drop Range: - 1450mm (Supplied with 1000mm of chain.) Finish: Brushed Bronze (BBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP23

25686

1lt Medium Wall Lantern

H: 514mm W: 244mm P: 295mm Finish: Brushed Bronze (BBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25687 11t Small Wall Lantern

H: 387mm W: 194mm P: 241mm Finish: Brushed Bronze (BBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

25688 1lt Small Pedestal

H: 600mm W: 194mm Finish: Brushed Bronze (BBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

















25708





old railroad lighting design

• prismatic glass diffuser

25710 1lt Small Wall Lantern

H: 246mm W: 229mm P: 264mm Finish: Grey Bronze (GBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25712

1lt Medium Chain Lantern

H: 276mm W: 305mm Drop Range: 403mm - 1500mm (Supplied with 1200mm of chain.) Finish: Grey Bronze (GBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP23

25708

1lt Medium Wall Lantern

H: 318mm W: 305mm P: 341mm Finish: Grey Bronze (GBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25706 1lt Large Wall Lantern

H: 397mm W: 381mm P: 422mm Finish: Grey Bronze (GBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44



Typically larger in scale and more detailed in design, the lanterns in this collection are almost entirely designed in North America, originally for the typical American style home. These fittings, often influenced by original European styles, bring more presence to where they are used, suiting both residential and hospitality situations.





Finishes available:



- traditional hanging lantern style
- thick clear seedy glass

25872 1lt Small Wall Lantern

H: 387mm W: 178mm P: 286mm Finish: Old Painted Bronze (OPB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25871 **3lt Medium Wall Lantern**

H: 502mm W: 229mm P: 368mm Finish: Old Painted Bronze (OPB) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25870

4lt Large Wall Lantern

H: 565mm W: 279mm P: 419mm Finish: Old Painted Bronze (OPB) Max. Wattage: 4 × 60W E14 IP Rating: IP44

25873 **3lt Pedestal**

H: 584mm W: 279mm Finish: Old Painted Bronze (OPB) Max. Wattage: 3 × 60W E14 IP Rating: IP44















classic lantern style

• clear seedy glass

30411 1lt Large Wall Lantern

H: 432mm W: 242mm P: 267mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

30415

1lt Medium Chain Lantern

H: 365mm W: 191mm Drop Range: 447mm - 2040mm (Supplied with 1620mm of chain) Finish: Old Bronze (OBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

30412

1lt Medium Wall Lantern

H: 343mm W: 191mm P: 217mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

30413 1lt Small Wall Lantern

H: 265mm W: 146mm P: 169mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

30414 **1lt Medium Pedestal**

H: 457mm W: 191mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44



Model shown: 27149



27148







Finishes available:



• Victorian inspired design

• clear seedy glass

27148 **3lt Ceiling Flush**

H: 229mm W: 305mm Finish: Grey/Gold (GGD) Max. Wattage: 3 × 40W E14 IP Rating: IP44

27149 **3lt Chain Lantern**

H: 476mm W: 305mm Drop Range: 565mm - 2362mm (Supplied with 1829mm of chain.) Finish: Grey/Gold (GGD) Max. Wattage: 3 × 60W E14 IP Rating: IP44

27146

2lt Wall Lantern

H: 489mm W: 254mm P: 318mm Finish: Grey/Gold (GGD) Max. Wattage: 2 × 60W E14 IP Rating: IP44

27147 **3lt Wall Lantern**

H: 578mm W: 305mm P: 375mm Finish: Grey/Gold (GGD) Max. Wattage: 3 × 60W E14 IP Rating: IP44

27150 **3lt Pedestal Lantern**

H: 696mm W: 305mm Finish: Grey/Gold (GGD) Max. Wattage: 3 × 60W E14 IP Rating: IP44

Finishes available:

PBZ

- inspired by traditional 'Shepherd Hook' design
- softly curved clear seedy glass

30285 **3lt Large Wall Lantern**

H: 859mm W: 305mm P: 375mm Finish: Patina Bronze (PAB) Max. Wattage: 3 × 60W E14 IP Rating: IP44

30289 2lt Medium Chain Lantern

H: 555mm W: 254mm Drop Range: 655mm-2139mm (Supplied with 1524mm of chain.) Finish: Patina Bronze (PBZ) Max. Wattage: 2 × 60W E14 IP Rating: IP44

30287 1lt Small Wall Lantern

H: 278mm W: 165mm P: 205mm Finish: Patina Bronze (PBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

30286 2lt Medium Wall Lantern

H: 673mm W: 254mm P: 313mm Finish: Patina Bronze (PBZ) Max. Wattage: 2 × 60W E14 IP Rating: IP44

30288

2lt Medium Post Lantern

H: 743mm W: 254mm Finish: Patina Bronze (PBZ) Max. Wattage: 2 × 60VV E14 IP Rating: IP44

30288













30459







Finishes available:



- Aged Copper finish will age naturally over time
- clear bevelled glass

30459 **3lt Flush Mount**

H: 190mm W: 365mm Finish: Aged Copper (AC) Max. Wattage: 3 × 40W E14 IP Rating: IP44

30463 2lt Large Chain Lantern

H: 490mm W: 265mm Drop Range: 565mm - 1765mm (Supplied with 1200mm of chain.) Finish: Aged Copper (AC) Max. Wattage: 2 × 60W E14 IP Rating: IP44

30464

1lt Medium Chain Lantern

H: 326mm W: 203mm Drop Range: 401mm - 1601mm (Supplied with 1200mm of chain.) Finish: Aged Copper (AC) Max. Wattage: 1 × 100W E27 IP Rating: IP44

30461 11t Medium Wall Lantern

H: 356mm W: 203mm P: 198mm Finish: Aged Copper (AC) Max. Wattage: 1 × 100W E27 IP Rating: IP44

30460 **2lt Large Wall Lantern**

H: 520mm W: 265mm P: 240mm Finish: Aged Copper (AC) Max. Wattage: 2 × 60W E14 IP Rating: IP44

30462 1lt Small Wall Lantern

H: 310mm W: 178mm P: 171mm Finish: Aged Copper (AC) Max. Wattage: 1 × 60W E27 IP Rating: IP44

Finishes available:



- handmade in solid brass
- Polished Brass finish will age over time if not maintained
- clear bevelled glass

26109 **3lt Flush Mount**

H: 190mm W: 365mm Finish: Polished Brass (PB) Max. Wattage: 3 × 40W E14 IP Rating: IP44

26115 **2lt Large Chain Lantern**

H: 490mm W: 265mm Drop Range: 565mm - 1765mm (Supplied with 1200mm of chain.) Finish: Polished Brass (PB) Max. Wattage: 2 × 60W E14 IP Rating: IP44

26114 **2lt Pedestal**

H: 570mm W: 265mm Finish: Polished Brass (PB) Max. Wattage: 2 × 60W E14 IP Rating: IP44



26115











Finishes available:



- handmade in solid brass
- Polished Brass finish will age over time if not maintained
- clear bevelled glass

30465 1lt Medium Chain Lantern

H: 326mm W: 203mm Drop Range: 401mm - 1601mm (Supplied with 1200mm of chain.) Finish: Polished Brass (PB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

26112 **1lt Small Wall Lantern**

H: 310mm W: 178mm P: 171mm Finish: Polished Brass (PB) Max. Wattage: 1 × 60W E27 IP Rating: IP44

26111

1lt Medium Wall Lantern

H: 356mm W: 203mm P: 198mm Finish: Polished Brass (PB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

26110 **2lt Large Wall Lantern**

H: 520mm W: 265mm P: 240mm Finish: Polished Brass (PB) Max. Wattage: 2 × 60W E14 IP Rating: IP44

Finishes available:



- handmade in solid brass with a durable polished lacquer
- clear bevelled glass

27826 1lt Small Wall Light

H: 263mm W: 147mm P: 170mm Finish: Polished Brass (PB) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27825 1lt Medium Wall Light

H: 393mm W: 178mm P: 197mm Finish: Polished Brass (PB) Max. Wattage: 1 × 60W E27 IP Rating: IP44





Finishes available:



- classic geometric Arts & Crafts style
- handcrafted art glass

30451 2lt Outdoor Flush Mount

H: 154mm W: 280mm Finish: Vintage Bronze (VBZ) Max. Wattage: 2 × 60W E27 IP Rating: IP44

30453 1lt Small Wall Lantern

H: 278mm W: 178mm P: 226mm Finish: Vintage Bronze (VBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

30452 11t Medium Wall Lantern


H: 314mm W: 215mm P: 261mm Finish: Vintage Bronze (VBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44







*Guarantee details on p212.



Model shown: 26017



Finishes available:



- Italian Renaissance inspired design
- clear water glass

26016 2lt Flush Mount

H: 140mm W: 235mm Finish: Old Painted Bronze (OPB) Max. Wattage: 2 × 40VV E14 IP Rating: IP44

26020 **2lt Chain Lantern**

H: 629mm W: 184mm Drop Range: - 1900mm (Supplied with 1200mm of chain.) Finish: Old Painted Bronze (OPB) Max. Wattage: 2 × 60W E14 IP Rating: IP23

26018

2lt Medium Wall Lantern

H: 641mm W: 184mm P: 267mm Finish: Old Painted Bronze (OPB) Max. Wattage: 2 × 60W E14 IP Rating: IP44

26019 **1lt Half Wall Lantern**

H: 298mm W: 171mm P: 95mm Finish: Old Painted Bronze (OPB) Max. Wattage: 1 × 60W E14 IP Rating: IP44

26017 **3lt Large Wall Lantern**

H: 787mm W: 235mm P: 343mm Finish: Old Painted Bronze (OPB) Max. Wattage: 3 × 60W E14 IP Rating: IP44

Finishes available:



• romantic lantern design

clear seedy glass

27772 1lt Small Chain Lantern

H: 328mm W: 203mm Drop Range: 390mm - 1400mm (Supplied with 960mm of chain.) Finish: Black/Gold (BGD) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

27770 11t Small Wall Lantern

H: 358mm W: 203mm P: 241mm Finish: Black/Gold (BGD) Max. Wattage: 1 × 100W E27 IP Rating: IP44

27769

1lt Medium Wall Lantern

H: 448mm W: 254mm P: 285mm Finish: Black/Gold (BGD) Max. Wattage: 1 × 100W E27 IP Rating: IP44

27771 1lt Small Pedestal

H: 495mm W: 203mm Finish: Black/Gold (BGD) Max. Wattage: 1 × 100W E27 IP Rating: IP44





27770



Finishes available:



- design inspired by European castle windows
- soft amber tinted glass panels

25939 **2lt Flush Mount**

H: 165mm W: 279mm Finish: Old Bronze (OBZ) Max. Wattage: 2 × 60W E27 IP Rating: IP44

25942

1lt Small Wall Lantern

H: 368mm W: 140mm P: 184mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25941

11t Medium Wall Lantern

H: 457mm W: 178mm P: 229mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44



25942

25941

25939



*Guarantee details on p212.

Finishes available:



traditional old world style

• inside etched amber optic glass

24953 1lt Medium Wall Lantern

H: 641mm W: 222mm P: 318mm Finish: Aged Iron (AI) Max. Wattage: 1 × 100W E27 IP Rating: IP44

24954 **3lt Large Wall Lantern**

H: 813mm W: 280mm P: 406mm Finish: Aged Iron (Al) Max. Wattage: 3 × 60W E14 IP Rating: IP44











traditional old world style

• inside etched amber optic glass

24950 11t Small Wall Lantern

H: 521mm W: 178mm P: 267mm Finish: Aged Iron (Al) Max. Wattage: 1 × 100W E27 IP Rating: IP44

24952 **3lt Chain Lantern**

H: 750mm W: 280mm Drop Range: 800mm - 2325mm Finish: Aged Iron (Al) Max. Wattage: 3 × 60VV E14 IP Rating: IP23


24951 **3lt Pedestal**

H: 750mm W: 280mm Finish: Aged Iron (Al) Max. Wattage: 3 × 60W E14 IP Rating: IP44



in stalling





Model shown: 25630 (see page 83)

Finishes available:



• inspired by antique gas lanterns

• clear bevelled glass

25626 **2lt Flush Ceiling Mount**

H: 168mm W: 292mm Finish: Textured Black (TBK) Max. Wattage: 2 × 60W E27 IP Rating: IP44

25632 1lt Small Wall Lantern

H: 292mm W: 165mm P: 197mm Finish: Textured Black (TBK) **Max. Wattage:** 1 × 100W E27 IP Rating: IP44

25642 2lt Half Wall Lantern

H: 406mm W: 241mm P: 152mm Finish: Textured Black (TBK) Max. Wattage: 2 × 60W E14 IP Rating: IP44







25626

25632

Finishes available:



• inspired by antique gas lanterns

• clear bevelled glass

25644 **3lt Large Chain Lantern**

H: 673mm W: 305mm Drop Range: 697mm - 2000mm (Supplied with 1200mm of chain.) Finish: Textured Black (TBK) Max. Wattage: 3 × 60VV E14 IP Rating: IP23

25646 **2lt Medium Chain Lantern**

H: 464mm W: 229mm Drop Range: - 1550mm (Supplied with 1000mm of chain.) Finish: Textured Black (TBK) Max. Wattage: 2 × 60W E14 IP Rating: IP23

25638 **2lt Medium Pilla**r

H: 1100mm W: 229mm Finish: Textured Black (TBK) Max. Wattage: 2 × 60W E14 IP Rating: IP44

25636 **2lt Medium Pedesta**l

H: 544mm W: 229mm Finish: Textured Black (TBK) Max. Wattage: 2 × 60W E14 IP Rating: IP44







- inspired by antique gas lanterns
- clear bevelled glass

25628 **3lt Large Wall Lantern**

H: 762mm W: 305mm P: 413mm Finish: Textured Black (TBK) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25640 **3lt Large Post**

H: 2570mm W: 305mm Finish: Textured Black (TBK) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25630 **2lt Medium Wall Lantern**

H: 521mm W: 229mm P: 295mm Finish: Textured Black (TBK) Max. Wattage: 2 × 60W E14 IP Rating: IP44

25634 **3lt Large Pedestal**

H: 780mm W: 305mm Finish: Textured Black (TBK) Max. Wattage: 3 × 60W E14 IP Rating: IP44

Finishes available:



- handmade from cast aluminium
- clear seedy glass
- Extra large fittings: please check dimensions carefully when ordering

26014 **3lt X-Large Chain Lantern**

H: 630mm W: 305mm Drop Range: - 3000mm (Supplied with 2000mm of chain.) Finish: Grey/Gold (GGD) Max. Wattage: 3 × 60W E14 IP Rating: IP44

26015 **4lt Grand XL Chain Lantern**

H: 850mm W: 432mm Drop Range: - 4000mm (Supplied with 3000mm of chain.) Finish: Grey/Gold (GGD) Max. Wattage: 4 × 100W E27 IP Rating: IP44

26006 4lt Grand XL Wall Lantern

H: 1168mm W: 432mm P: 635mm Finish: Grey/Gold (GGD) Max. Wattage: 4 × 100W E27 IP Rating: IP44





26010



Finishes available:



• handmade from cast aluminium

• clear seedy glass

• Extra large fittings: please check dimensions carefully when ordering

26010 **3lt X-Large Wall Lantern**

H: 737mm W: 305mm P: 451mm Finish: Grey/Gold (GGD) Max. Wattage: 3 × 60W E14 IP Rating: IP44

26003 **3lt X-Large Lampost**

H: 2950mm W: 305mm Finish: Grey/Gold (GGD) Max. Wattage: 3 × 60W E14 IP Rating: IP44

26005

4lt Grand Wall Lantern

H: 959mm W: 356mm P: 527mm Finish: Grey/Gold (GGD) Max. Wattage: 4 × 60W E14 IP Rating: IP44



Finishes available:



• handmade from cast aluminium

• clear seedy glass



H: 191mm W: 305mm Finish: Grey/Gold (GGD) Max. Wattage: 2 × 60W E14 IP Rating: IP44

26007

2lt Large Wall Lantern

H: 610mm W: 254mm P: 375mm Finish: Grey/Gold (GGD) Max. Wattage: 2 × 60W E14 IP Rating: IP44

26011 **2lt Large Pedestal**

H: 670mm W: 245mm Finish: Grey/Gold (GGD) Max. Wattage: 2 × 60W E14 IP Rating: IP44



26004













Finishes available:



- handmade from cast aluminium
- clear seedy glass

26009 1lt Small Wall Lantern

H: 267mm W: 152mm P: 197mm Finish: Grey/Gold (GGD) Max. Wattage: 1 × 100W E27 IP Rating: IP44

26013

1lt Medium Chain Lantern

H: 400mm W: 191mm Drop Range: - 1400mm (Supplied with 1000mm of chain.) Finish: Grey/Gold (GGD) Max. Wattage: 1 × 100W E27 IP Rating: IP23

26012 **1lt Medium Pilla**r

H: 1100mm W: 191mm Finish: Grey/Gold (GGD) Max. Wattage: 1 × 100W E27 IP Rating: IP44

26008 1lt Medium Wall Lantern

H: 457mm W: 191mm P: 286mm Finish: Grey/Gold (GGD) Max. Wattage: 1 × 100W E27 IP Rating: IP44





Finishes available:



• old-world inspired design

• clear seedy glass

25091 **3lt Large Lamp Post**

H: 2426mm W: 267mm Finish: Textured Black (TBK) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25087

3lt Large Chain Lantern

H: 620mm W: 267mm Drop Range: 680mm - 2205mm Finish: Textured Black (TBK) Max. Wattage: 3 × 60VV E14 IP Rating: IP23

25085

3lt Large Wall Lantern

H: 622mm W: 267mm P: 325mm Finish: Textured Black (TBK) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25089

3lt Large Pedestal

H: 638mm W: 267mm Finish: Textured Black (TBK) Max. Wattage: 3 × 60W E14 IP Rating: IP44

Finishes available:



• old-world inspired design

• clear seedy glass

25083 11t Small Wall Lantern

H: 320mm W: 165mm P: 190mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

25093

3lt Medium Chain Lantern

H: 470mm W: 216mm Drop Range: 580mm - 2105mm Finish: Textured Black (TBK) Max. Wattage: 3 × 60VV E14 IP Rating: IP23

25095 **3lt Medium Bollard**

H: 1180mm W: 216mm Finish: Textured Black (TBK) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25081

3lt Medium Wall Lantern

H: 500mm W: 216mm P: 267mm Finish: Textured Black (TBK) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25097

3lt Medium Pedestal

H: 552mm W: 216mm Finish: Textured Black (TBK) Max. Wattage: 3 × 60W E14 IP Rating: IP44





Finishes available:



old-world inspired design

clear seedy glass

25082 1lt Small Wall Lantern

H: 320mm W: 165mm P: 190mm Finish: Silver Bronze Patina (SBP) Max. Wattage: 1 × 60W E27 IP Rating: IP44

25092

3lt Medium Chain Lantern

H: 470mm W: 216mm Drop Range: 580mm - 2105mm Finish: Silver Bronze Patina (SBP) Max. Wattage: 3 × 60W E14 IP Rating: IP23

25094

3lt Medium Bollard

H: 1180mm W: 216mm Finish: Silver Bronze Patina (SBP) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25080

3lt Medium Wall Lantern

H: 500mm W: 216mm P: 267mm Finish: Silver Bronze Patina (SBP) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25096

3lt Medium Pedestal

H: 552mm W: 216mm Finish: Silver Bronze Patina (SBP) Max. Wattage: 3 × 60W E14 IP Rating: IP44







old-world inspired design

clear seedy glass

25090 **3lt Large Lamp Post**

H: 2426mm W: 267mm Finish: Silver Bronze Patina (SBP) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25086

3lt Large Chain Lantern

H: 620mm W: 267mm Drop Range: 680mm - 2205mm Finish: Silver Bronze Patina (SBP) Max. Wattage: 3 × 60W E14 IP Rating: IP23

25084

3lt Large Wall Lantern

H: 622mm W: 267mm P: 325mm Finish: Silver Bronze Patina (SBP) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25088

3lt Large Pedestal

H: 638mm W: 267mm Finish: Silver Bronze Patina (SBP) Max. Wattage: 3 × 60W E14 IP Rating: IP44

Finishes available:



- ornate curvaceous design
- gold lustre tinted glass

23459 **4lt Duo-Mount Chain Lantern**

H: 715mm W: 330mm Drop Range: 785mm - 2309mm Finish: Old Painted Bronze (OPB) Max. Wattage: 4 x 60W E14 IP Rating: IP44

Fitting can be mounted as chain lantern or semi-flush.

23458 **4lt Wall Lantern**

H: 762mm W: 305mm P: 457mm Finish: Old Painted Bronze (OPB) Max. Wattage: 4 × 60W E14 IP Rating: IP44

23462 **3lt Pedestal**

H: 610mm W: 241mm Finish: Old Painted Bronze (OPB) Max. Wattage: 3 × 60W E14 IP Rating: IP44











Finishes available:



- ornate traditional design
- clear ribbed glass

25967 11t Small Wall Lantern

H: 337mm W: 178mm P: 197mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25969 **1lt Chain Lantern**

H: 440mm W: 229mm Drop Range: 552mm - 1680mm (Supplied with 1200mm of chain.)

Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 100W E27 IP Rating: IP23

25966

1lt Medium Wall Lantern

H: 457mm W: 229mm P: 279mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25968 **1lt Pedestal**

H: 500mm W: 229mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 100W E27 IP Rating: IP44










Finishes available:





• clear water glass

23465 **2lt Flush Mount**

H: 178mm W: 267mm Finish: Old Painted Bronze (OPB) Max. Wattage: 2 × 40W E14 IP Rating: IP44

23463 1lt Small Wall Lantern

H: 343mm W: 165mm P: 203mm Finish: Old Painted Bronze (OPB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

23464 2lt Medium Wall Lantern

H: 445mm W: 216mm P: 279mm Finish: Old Painted Bronze (OPB) Max. Wattage: 2 × 60W E14 IP Rating: IP44

24183 **2lt Pedestal Lantern**

H: 505mm W: 216mm Finish: Old Painted Bronze (OPB) Max. Wattage: 2 × 60W E14 IP Rating: IP44







23465

Finishes available:



• period style medium & large lanterns

• amber tinted blown glass

16701 1lt Medium Chain Lantern

H: 500mm W: 225mm Drop Range: 575mm - 2120mm Finish: Weathered Bronze (WBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP23

16702

1lt Large Chain Lantern

H: 575mm W: 300mm Drop Range: 650mm - 2255mm Finish: Weathered Bronze (WBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP23

25215 **1lt Medium Pillar**

H: 1170mm W: 225mm


Finish: Weathered Bronze (WBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16699 **1lt Medium Pedesta**l

H: 560mm W: 225mm Finish: Weathered Bronze (WBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44







Model shown: 16707

Finishes available:



period style lanterns

• amber tinted blown glass

25140 **3lt Large Wall Lantern**

H: 640mm W: 260mm P: 310mm Finish: Old Bronze (OBZ) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25136 **3lt Large Wall Lantern**

H: 640mm W: 260mm P: 310mm Finish: Old Bronze (OBZ) Max. Wattage: 3 × 60W E14 IP Rating: IP44

16707 **1lt Medium wall lantern**

H: 520mm W: 190mm P: 265mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16706 **1lt Medium Wall Lantern**

H: 525mm W: 190mm P: 265mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44







Finishes available:



period style lanterns amber tinted blown glass

16705 **1lt Small Wall Lantern**

H: 430mm W: 170mm P: 240mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16709

1lt Medium chain lantern

H: 470mm W: 190mm Drop Range: 540mm - 1540mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16710 **3lt Large Lamp Post**

H: 2370mm W: 265mm Finish: Old Bronze (OBZ) Max. Wattage: 3 × 60W E14 IP Rating: IP44

16704

1lt Small Wall Lantern

H: 430mm W: 170mm P: 240mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16708

1lt Medium pillar

H: 1165mm W: 190mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16811

1lt Medium pedestal

H: 540mm W: 190mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44





19001







Finishes available:



period style lanterns

• variety of hand blown glasses

19001 **2lt Flush Mount**

H: 200mm W: 360mm Finish: Weathered Bronze (WBZ) Max. Wattage: 2 × 60W E27 IP Rating: IP44

18555 **1lt Small Wall Lantern**

H: 325mm W: 170mm P: 215mm Finish: Weathered Bronze (WBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

18961 1lt Medium Wall Lantern

H: 400mm W: 185mm P: 230mm Finish: Weathered Bronze (WBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16686 **1lt Small Wall Lantern**

H: 350mm W: 165mm P: 195mm Finish: Weathered Bronze (WBZ) Max. Wattage: 1 × 100W E27 IP Rating: IP44

Finishes available:



- classic style ornate lanterns
- clear seedy glass
- Extra large fittings: please check dimensions carefully when ordering

16717 **1lt Small Chain Lantern**

H: 435mm W: 235mm Drop Range: 510mm - 1510mm Finish: Rusty Bronze Patina (RBP) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16712 **1lt Small Wall Lantern**

H: 470mm W: 235mm P: 280mm Finish: Rusty Bronze Patina (RBP) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16718 **1lt Pillar Lantern**

H: 1150mm W: 235mm Finish: Rusty Bronze Patina (RBP) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16810 1lt Small Pedestal

H: 510mm W: 235mm Finish: Rusty Bronze Patina (RBP) Max. Wattage: 1 × 100W E27 IP Rating: IP44











Finishes available:



- classic style ornate lanterns
- clear seedy glass
- Extra large fittings: please check dimensions carefully when ordering

16716 **4lt Large Wall Lantern**

H: 700mm W: 355mm P: 430mm Finish: Rusty Bronze Patina (RBP) Max. Wattage: 4 × 60W E14 IP Rating: IP44

16719 **1lt Medium Lamp-post**

H: 2465mm W: 280mm Finish: Rusty Bronze Patina (RBP) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16714

16716


16714

1lt Medium Wall Lantern

H: 560mm W: 280mm P: 340mm Finish: Rusty Bronze Patina (RBP) Max. Wattage: 1 × 100W E27 IP Rating: IP44

COUNTRY TRADITIONAL

This collection features styles influenced from period British and European lanterns from the last century. Although some of these are modern updates made of cast aluminium, others are still hand-made in iron to keep the authenticity. These lanterns are typically smaller in scale to suit picturesque cottages and small town houses.





COUNTRY TRADITIONAL

Finishes available:



- traditional British style
- hand-leaded glass panels

15524 **1lt PIR Wall lantern**

H: 470mm W: 184mm P: 295mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100VV E27 IP Rating: IP43

PIR detectors are guaranteed for 2 years. For corner Bracket order 14386.

15531 **1lt Chain Lantern**

H: 395mm W: 184mm Drop Range: 515mm - 600mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100VV E27 IP Rating: IP43

15525 **1lt Wall Lantern**

H: 450mm W: 184mm P: 215mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43 For corner Bracket order 14386.

15529 **1lt Half Lantern**

H: 359mm W: 257mm P: 125mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

15526 **1lt Pedestal**

H: 488mm W: 184mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43







15529



15525











Finishes available:



- traditional British style
- hand-leaded glass panels

15523 1lt Wall lantern

H: 450mm W: 184mm P: 260mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43 For corner Bracket order 14386.

15530

3lt Triple Lamp Post

H: 2270mm W: 600mm Finish: Textured Black (TBK) Max. Wattage: 3 × 100W E27 IP Rating: IP43

15527

1lt Pillar

H: 1090mm W: 184mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

Finishes available:



• traditional British style

· hand-leaded glass panels

16324 **2lt Half Lantern**

H: 338mm W: 221mm P: 86mm Finish: Black/Silver (BSV) Max. Wattage: 2 × 60W E27 IP Rating: IP43

18924 11t PIR Wall Lantern

H: 532mm W: 159mm P: 278mm Finish: Black/Silver (BSV) Max. Wattage: 1 × 100W E27 IP Rating: IP43

PIR detectors are guaranteed for 2 years. For corner bracket order 14386.

16320 1lt Wall Lantern

H: 535mm W: 159mm P: 285mm Finish: Black/Silver (BSV) Max. Wattage: 1 × 100W E27 IP Rating: IP43

For corner bracket order 14386.

16321 11t Wall Lantern

H: 370mm W: 159mm P: 286mm Finish: Black/Silver (BSV) Max. Wattage: 1×100 W E27 IP Rating: IP43

For corner bracket order 14386.

16322 **1It Pedestal Lantern**

H: 523mm W: 159mm Finish: Black/Silver (BSV) Max. Wattage: 1 × 100W E27 IP Rating: IP43

















Finishes available:



• traditional British style

• hand-leaded glass panels

16325 **2lt Twin Lamp Post**

H: 2285mm W: 570mm Finish: Black/Silver (BSV) Max. Wattage: 2 × 100W E27 IP Rating: IP43

16326 **1lt Chain Lantern**

H: 340mm W: 159mm Drop Range: 460mm - 900mm Finish: Black/Silver (BSV) Max. Wattage: 1 × 100VV E27 IP Rating: IP43

16323 **1lt Pillar Lantern**

H: 1235mm W: 159mm Finish: Black/Silver (BSV) Max. Wattage: 1 × 100W E27 IP Rating: IP43

Finishes available:



- Old English coach style lanterns
- textured water glass

14306 1lt Porch Lantern

H: 245mm W: 185mm Finish: Textured Black (TBK) **Max. Wattage:** 1 × 100W E27 IP Rating: IP23

14307

1lt Porch Chain Lantern

H: 285mm W: 185mm Drop Range: 400mm - 500mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

14281 1lt Half Lantern

H: 280mm W: 210mm P: 140mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23

14300 11t Wall Lantern

H: 435mm W: 185mm P: 230mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43 For corner bracket order 14386.

14286 1lt Wall Lantern

H: 310mm W: 185mm P: 225mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

For corner bracket order 14386.

14309 **1It Pedestal Lantern**

H: 315mm W: 185mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43



14307



14281









14284



18949

14285





14282

14283





Finishes available:



• Old English style lanterns

• textured water glass

14283 **1lt Porch Lantern**

H: 280mm W: 185mm Finish: Textured Black (TBK) **Max. Wattage:** 1 × 100W E27 IP Rating: IP43

14284 1lt Porch Chain Lantern

H: 285mm W: 185mm Drop Range: 400mm - 525mm Finish: Textured Black (TBK) **Max. Wattage:** 1 × 100W E27 IP Rating: IP43

14282 11t Wall Lantern

H: 335mm W: 185mm P: 237mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

For corner bracket order 14386.

18949 11t Wall Lantern

H: 385mm W: 185mm P: 246mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

For corner bracket order 14386.

14285 11t Wall Lantern

H: 400mm W: 185mm P: 310mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43 For corner bracket order 14377.

14292 **1It Pedestal Lantern**

H: 410mm W: 185mm Finish: Textured Black (TBK) **Max. Wattage:** 1 × 100W E27 IP Rating: IP43

Finishes available:



- traditional window-style lanterns
- clear water glass

14296 **1lt Chain Lantern**

H: 410mm W: 305mm Drop Range: 475mm - 640mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100VV E27 IP Rating: IP20

14294 **1lt Wall Lantern**

H: 505mm W: 305mm P: 365mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43 For corner bracket order 14377.

14295 **1lt Wall Lantern**

H: 575mm W: 305mm P: 365mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43 For corner bracket order 14377.

14293 **1lt Pedestal Lantern**

H: 545mm W: 305mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43





14295



14296

MADE IN THE UK



14299









Finishes available:



• Old English style lanterns

• textured water glass

14299 1lt Chain Lantern

H: 330mm W: 215mm Drop Range: 450mm - 545mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

14305 1lt Wall Lantern

H: 405mm W: 215mm P: 330mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43 For corner bracket order 14377.

14297

1lt Wall Lantern

H: 440mm W: 215mm P: 250mm Finish: Textured Black (TBK) **Max. Wattage:** 1 × 100W E27 IP Rating: IP43

For corner bracket order 14386.

14303 **1lt Pedestal Lantern**

H: 380mm W: 215mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

Finishes available:



• cast aluminium

• most have clear glass panels (14489, 14501 & 14503 are polycarbonate)

14503 **1lt Half Lantern**

H: 410mm W: 220mm P: 140mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

14501 **1lt Half Lantern**

H: 380mm W: 190mm P: 120mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

14489

1lt Ceiling/Wall Flush Mount

H: 165mm W: 300mm P: 165mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

14505 2lt Twin Lamp Post

H: 2270mm W: 600mm Finish: Textured Black (TBK) Max. Wattage: 2 × 100W E27 IP Rating: IP44

14499

1lt Midi Lamp Post

H: 1790mm W: 205mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

14494

1lt Pedestal Lantern

H: 500mm W: 205mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44



01







116





- cast aluminium
- clear glass panels
- for corner brackets order 14378

14487 1lt Up Wall Lantern

H: 480mm W: 205mm P: 297mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

14507 **1lt Mini Up Wall Lantern**

H: 380mm W: 170mm P: 240mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

14509

1lt Mini Down Wall Lantern

H: 380mm W: 170mm P: 240mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

14491 11t Down Wall Lantern

H: 440mm W: 205mm P: 297mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

14497

1It Pillar Lantern

H: 1000mm W: 205mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

14514

1lt Mini Pillar

H: 940mm W: 170mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

14512 **1lt Mini Pedestal**

H: 440mm W: 170mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44



Finishes available:



• cast aluminium

• clear glass panels (15729 has frosted pattern polycarbonate)

15729 **1lt Flush Mount**

H: 165mm W: 300mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

15739 **1lt Half Lantern**

H: 420mm W: 200mm P: 137mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

15745 **1It Mini Up Wall Lantern**

H: 390mm W: 180mm P: 250mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44 For corner bracket order 14378.

15727 **1lt Up Wall Lantern**

H: 520mm W: 230mm P: 300mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100VV E27 IP Rating: IP44 For corner bracket order 14378.

15752

1lt Mini Pillar Lantern

H: 950mm W: 180mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

15735 **1lt Pillar Lantern**

H: 1040mm W: 230mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

15749

1lt Mini Pedestal Lantern

H: 450mm W: 180mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44















Finishes available:



• cast aluminium

• clear glass panels

15747 11t Mini Down Wall Lantern

H: 390mm W: 180mm P: 250mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

For corner bracket order 14378.

15731

1lt Down Wall Lantern

H: 480mm W: 230mm P: 300mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44 For corner bracket order 14378.

15741

2lt Twin Lamp Post

H: 2290mm W: 650mm Finish: Textured Black (TBK) Max. Wattage: 2 × 100W E27 IP Rating: IP44

15737

1lt Lamp Post

H: 1800mm W: 230mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

15733

1lt Pedestal Lantern

H: 520mm W: 230mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44





Finishes available:

ТВК

- large Victorian style design
- cast aluminium and steel
- clear glass panels

16313 1lt Lamp Post (head only)

H: 825mm W: 385mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23 Includes 80mm i/D Frog.

16317 **1lt Large Lamp Post**

H: 3300mm W: 585mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23

Has access door to assist with wiring installation.

16307 **1It Wall Lantern**

H: 1145mm W: 385mm P: 675mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23 For corner bracket order 14381.

For corner bracket order 14381

16314 **1lt Pedestal Lantern**

H: 1060mm W: 385mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23









- Victorian style design
- cast aluminium and steel
- clear glass panels

14742 1lt Lamp-post (head only)

H: 660mm W: 305mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23 Includes 50mm i/D Frog.

14755 **1lt Large Lamp Post**

H: 2700mm W: 410mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23

Has access door to assist with wiring installation

14729

1lt Wall Lantern

H: 800mm W: 305mm P: 480mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23 For corner bracket order 14381.

14750 **1lt Pedestal Lantern**

H: 860mm W: 305mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23





Finishes available:



- traditional British design
- clear glass

14280 1lt Porch Chain Lantern

H: 285mm W: 150mm Drop Range: 405mm - 500mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100VV E27 IP Rating: IP23

14279 **1lt Porch Lantern**

H: 260mm W: 150mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23

14277 **1lt Wall Lantern**

H: 420mm W: 150mm P: 215mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23 For corner bracket order 14386.

14310 **1lt Wall Lantern**

H: 310mm W: 150mm P: 210mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23

For corner bracket order 14386.

14278 1lt Pedestal Lantern

H: 340mm W: 150mm P: 215mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP23



14280

14279

















17070



14289

Finishes available:



- traditional British design
- clear glass

14291 1lt Porch Chain Lantern

H: 260mm W: 150mm Drop Range: 380mm - 475mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

14287

1lt Wall Lantern

H: 294mm W: 150mm P: 221mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43 For corner bracket order 14386.

17070

11t Wall Lantern

H: 360mm W: 200mm P: 240mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

For corner bracket order 14386.

17069 **1It Wall Lantern**

H: 345mm W: 200mm P: 240mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43 For corner bracket order 14386.

FOR CORNER DRUCKEL OFGER 14300

14289 **1lt Porch Lantern**

H: 235mm W: 150mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

Finishes available:



- traditionally inspired styles
- mixture of clear seedy glass and clear water glass

27910 **2lt Outdoor Flush Mount**

H: 156mm W: 305mm Finish: Old Painted Bronze (OPB) Max. Wattage: 2 × 60W E27 IP Rating: IP44

3 YEAR* GUARANTEE

27911 1lt Small Wall Lantern

H: 305mm W: 171mm P: 131mm Finish: Old Painted Bronze (OPB) Max. Wattage: 1 × 60W E27 IP Rating: IP44

3 YEAR* GUARANTEE

21659 **1lt Wall Lantern**

H: 260mm W: 120mm P: 160mm Finish: Old Bronze (OBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

3 YEAR* guarantee

18056 **1lt Wall Lantern**

H: 340mm W: 179mm P: 204mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

2 YEAR* guarantee

27917 1lt Small Wall Lantern

H: 382mm W: 171mm P: 197mm Finish: Satin Black (SBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

3 YEAR* GUARANTEE





27917











Finishes available:



• traditionally inspired styles

clear seedy glass

27817 1lt Small Wall Light

H: 261mm W: 166mm P: 194mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 75W E27 IP Rating: IP44

3 YEAR* GUARANTEE

18052 **1lt Wall Lantern**

H: 220mm W: 212mm P: 233mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 60W E27 IP Rating: IP43

2 YEAR* GUARANTEE

27816

1lt Medium Wall Light

H: 322mm W: 204mm P: 234mm Finish: Weathered Zinc (WZC) Max. Wattage: 1 × 100W E27 IP Rating: IP44

3 YEAR* guarantee

Finishes available:



• traditionally inspired styles

• clear seedy glass

27737 2lt Small Wall Lantern

H: 318mm W: 170mm P: 155mm Finish: Dark Brown (DBR) Max. Wattage: 2 × 60W E14 IP Rating: IP44

3 YEAR* guarantee

27736 **2lt Medium Wall Lantern**

H: 460mm W: 178mm P: 155mm Finish: Dark Brown (DBR) Max. Wattage: 2 × 60W E14 IP Rating: IP44

3 YEAR* GUARANTEE

18055

3lt Large Wall Lantern

H: 615mm W: 277mm P: 170mm Finish: Dark Brown (DBR) Max. Wattage: 3 × 60W E14 IP Rating: IP44

2 YEAR* guarantee

16676 **2lt Wall Lantern**

H: 460mm W: 230mm P: 110mm Finish: Dark Brown (DBR) Max. Wattage: 2 × 60W E14 IP Rating: IP44

2 YEAR* GUARANTEE

16675 **1lt Wall Lantern**

H: 450mm W: 112mm P: 110mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 60W E14 IP Rating: IP44

2 YEAR* GUARANTEE



27736

16676



27737









16679



16677





- traditionally inspired styles
- clear seedy glass

17398 1lt Chain Lantern

H: 380mm W: 200mm Drop Range: 455mm - 1560mm Finish: Black/Gold (BGD) Max. Wattage: 1 × 60W E14 IP Rating: IP44

17397

1lt Wall Lantern

H: 420mm W: 200mm P: 150mm Finish: Black/Gold (BGD) Max. Wattage: 1 × 60W E14 IP Rating: IP44

17399

1lt Pedestal Lantern

H: 360mm W: 200mm Finish: Black/Gold (BGD) Max. Wattage: 1 × 60W E14 IP Rating: IP44

16679 1lt Wall Lantern

H: 390mm W: 120mm P: 190mm

Finish: Dark Brown (DBR) Max. Wattage: 1 × 60W E14 IP Rating: IP43

16677

1lt Wall Lantern

H: 320mm W: 125mm P: 110mm Finish: Dark Brown (DBR) Max. Wattage: 1 × 60W E14 IP Rating: IP43





- traditionally inspired styles
- mixture of clear seedy glass, clear glass and frosted glass

21652 **2lt Flush Ceiling Lantern**

H: 160mm W: 260mm P: 160mm Finish: Old Bronze (OBZ) Max. Wattage: 2 × 40W E27 IP Rating: IP44

15014 **1lt Wall Lantern**

H: 328mm W: 165mm P: 230mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

21660 **1lt Wall Lantern**

H: 268mm W: 215mm P: 242mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

21653 **1lt Wall Lantern**

H: 255mm W: 177mm P: 200mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

21655 **1lt Wall Lantern**

H: 253mm W: 168mm P: 199mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

21648 **1lt Wall Lantern**

H: 262mm W: 150mm P: 190mm Finish: Black /Silver (BSV) Max. Wattage: 1 × 60W E27 IP Rating: IP44





Finishes available:



- traditionally inspired styles
- mixture of clear seedy glass, clear glass and frosted glass

21650 **1lt Wall Lantern**

H: 260mm W: 135mm P: 150mm Finish: Weathered Bronze (WBZ) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27811 2lt Medium Wall Lantern

H: 349mm W: 207mm P: 258mm Finish: Black/Brown (BBR) Max. Wattage: 2 × 40W E14 IP Rating: IP44

27812 1lt Small Wall Lantern

H: 265mm W: 157mm P: 195mm Finish: Black/Brown (BBR) Max. Wattage: 1 × 60W E27 IP Rating: IP44

21651 **1lt Half Wall Lantern**

H: 350mm W: 198mm P: 112mm Finish: Black /Gold (BGD) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27800 11t Small Wall Lantern

H: 274mm W: 152mm P: 174mm Finish: Black/Gold (BGD) Max. Wattage: 1 × 75W E27 IP Rating: IP44

Finishes available:



- traditionally inspired styles
- mixture of clear bevelled glass and clear glass

21647 1It Half Wall Lantern

H: 330mm W: 172mm P: 122mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

3 YEAR* GUARANTEE

16364 **1lt Half Wall Lantern**

H: 445mm W: 260mm P: 140mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

5 YEAR* GUARANTEE

21662 **1lt Lamp Post**

H: 1924mm W: 225mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

3 YEAR* guarantee

21663 **1lt Wall Lantern**

H: 427mm W: 173mm P: 220mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

3 YEAR* guarantee

21664 1lt Pedestal Lantern

H: 475mm W: 173mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

3 YEAR* guarantee









UP/DOWN WALL LIGHTS







- up/down wall lights provide ambient light and dramatically highlight architecture
- traditional to modern selection

50976 LED Wall Fitting

H: 235mm W: 110mm P: 102mm Finish: Graphite (GR) Max. Wattage: 7.6W LED LED details: 2 × 150 LM IP Rating: IP44 Lamps included.

50974 LED Up/Down Wall Light

H: 188mm W: 100mm P: 128mm Finish: Graphite (GR) Max. Wattage: 2 × 9W LED GX53 IP Rating: IP44 Lamps included.

18125 LED Up/Down Wall Light

H: 130mm W: 75mm P: 100mm Finish: Anodised Aluminium (AA) Max. Wattage: 3 × 1W LED × 2 IP Rating: IP54 Lamps included.

18126 LED Up/Down Wall Light

H: 130mm W: 75mm P: 100mm Finish: Natural Brass (NB) Max. Wattage: $3\times1W$ LED $\times2$ IP Rating: IP54 Lamps included.

21667 LED Up/Down Wall Light

H: 230mm W: 92mm P: 129mm Finish: Textured Black (TBK) Max. Wattage: 2 × 7W LED GU10 IP Rating: IP44

Lamps included.

25128 2lt Up/Down Wall Light

H: 300mm W: 190mm P: 150mm Finish: Textured Black (TBK) Max. Wattage: 2 × 60W E27 IP Rating: IP44









SECURITY LANTERNS

Finishes available:



- Passive Infrared Sensors (PIRs) minimise energy use without sacrificing security
- PIR sensors on these models are guaranteed for 2 years

18924 **1It PIR Wall Lantern**

H: 532mm W: 159mm P: 278mm Finish: Black/Silver (BSV) Max. Wattage: 1 × 100W E27 IP Rating: IP43

For corner bracket order 14386.

PIR range: min. 1m - 8m max. Time adjustment: 5 sec - 7 mins Detection width: 120° 150 watt switching capacity

3 YEAR* GUARANTEE

15382 **1lt PIR Half Lantern**

H: 495mm W: 260mm P: 140mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

PIR range: min. 1m - 8m max. Time adjustment: 5 sec - 7 mins Detection width: 120° 150 watt switching capacity

5 YEAR* GUARANTEE

15524 **1lt PIR Wall lantern**

H: 470mm W: 184mm P: 295mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP43

For corner Bracket order 14386.

PIR range: min. 1m - 8m max. Time adjustment: 5 sec - 7 mins Detection width: 120° 150 watt switching capacity

5 YEAR* guarantee





SECURITY LANTERNS







Finishes available:



- Passive Infrared Sensors (PIRs) minimise energy use without sacrificing security
- PIR sensors on these models are guaranteed for 2 years

27006 11t PIR Wall Lantern

H: 236mm W: 218mm P: 260mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

PIR range: 5m max. Time adjustment: 5+ mins Detection width: 90°

15 YEAR* GUARANTEE

24388

1lt PIR Wall Lantern

H: 236mm W: 218mm P: 260mm Finish: Silver (SV) Max. Wattage: 1 × 60W E27 IP Rating: IP44

PIR range: 5m max. Time adjustment: 5+ mins Detection width: 90°

15 YEAR* GUARANTEE

50979

LED Wall PIR Spotlight

H: 124mm W: 230mm P: 230mm Finish: Graphite (GR) Max. Wattage: 9W LED LED details: 605 LM, IP Rating: IP54

PIR range: min. 0m to 12m max. Time adjustment: 10 secs to 8 mins Detection width: 150°

5 YEAR* GUARANTEE

The harsh nature of coastal environments challenge many product types that are used outdoors, particularly outdoor lighting. To combat the effects of saline and UV damage, we have brought together a wide collection of models, styles and options that fulfil these challenges without compromise to the design. Using premium materials, these ranges have been designed to resist these harshest of conditions whilst bringing great style to the location used.



TECHNICAL INFORMATION



COMPOSITE

- Strong and durable material that is robust in appearance and feel.
- All feature hand-made glass lenses.
- Excellent UV, corrosion and rusting resistance properties.
- Suitable for ocean-facing locations and exposure to the harshest conditions.
- Guaranteed for 5 years.*
- see pages 136-147



POLYMER

- Extremely strong yet lightweight material made in Italy.
- All use impact resistant polycarbonate lenses.
- Embedded colour for enhanced UV, colour and corrosion resistance.
- Suitable for ocean facing locations.
- Guaranteed 20 years.*

see pages 148-151



BRASS

- Solid high grade brass material used with glass panels.
- Robust yet hand crafted ensuring long life properties.
- Have lacquered finishes that will potentially age in harsh conditions.
- Can withstand ocean-side locations but will age / patina.
- Limited Lifetime warranty.*

see pages 152-166



MARINE MATERIALS

- Malaysian Teak and 316 stainless steel materials used.
- Robust and weather resistant to the harshest of conditions.
- Natural Teak wood needs maintenance for colour and lifetime protection.
- Non-ferrous supporting components used internally.
- 10 year limited lifetime warranty.*

see page 167



Models shown: 30267



Finishes available:



• country farmhouse inspired

- made from weather resistant composite material
- clear seedy glass

30267 1lt Large Wall Lantern

H: 415mm W: 272mm P: 194mm Finish: Ash Black (ABK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

30268

1lt Small Wall Lantern

H: 300mm W: 196mm P: 180mm Finish: Ash Black (ABK) Max. Wattage: 1 × 60W E27 IP Rating: IP44



*Guarantee details on p212.



Models shown: 30252









Finishes available:



- industrial/nautical design
- made from weather resistant composite material
- clear seedy glass

30253

1lt Medium Wall Lantern

H: 328mm W: 267mm P: 311mm Finish: Painted Brushed Steel (PBS) Max. Wattage: 1 × 60W E27 IP Rating: IP44

30255

1lt Outdoor Pendant

H: 279m W: 229mm Drop Range: 500mm - 1414mm (Supplied with 3 x 305mm & 1 x 152mm rods.) Finish: Painted Brushed Steel (PBS) Max. Wattage: 1 x 60W E27 IP Rating: IP44

30252 1lt Large Wall Lantern

H: 390mm W: 316mm P: 365mm Finish: Painted Brushed Steel (PBS) Max. Wattage: 1 × 60W E27 IP Rating: IP44

30254 1lt Small Wall Lantern

H: 273mm W: 229mm P: 271mm Finish: Painted Brushed Steel (PBS) Max. Wattage: 1 × 60W E27 IP Rating: IP44

Finishes available:



- made from weather resistant composite material
- clear seedy glass

30457 **2lt Flush Mount**

H: 127mm W: 330mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 2 × 60VV E27 IP Rating: IP44

27916

1lt Small Wall Lantern

H: 281mm W: 178mm P: 205mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 x 75W E27 IP Rating: IP44

27915 **1lt Medium Wall Lantern**

H: 367mm W: 229mm P: 257mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 × 75W E27 IP Rating: IP44



27916





Finishes available:



- made from weather resistant composite material
- clear seedy glass

27914 1lt Small Wall Lantern

H: 283mm W: 143mm P: 139mm Finish: Old Painted Bronze (OPB) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27912

3lt Large Wall Lantern

H: 420mm W: 208mm P: 193mm Finish: Old Painted Bronze (OPB) Max. Wattage: 3 × 40W E14 IP Rating: IP44

27913


2lt Medium Wall Lantern

H: 356mm W: 180mm P: 169mm Finish: Old Painted Bronze (OPB) Max. Wattage: 2 × 40W E14 IP Rating: IP44



27912





Model shown: 27730





27706



27753



Finishes available:



- assorted traditional designs
- made from weather resistant composite material
- clear seedy glass (27753 has textured amber glass)

27730 **1lt Wall Lantern**

H: 297mm W: 171mm P: 206mm Finish: Old Painted Bronze (OPB) Max. Wattage: 1 × 75W E27 IP Rating: IP44

27706 **2lt Outdoor Flush**

H: 149mm W: 331mm Finish: Old Painted Bronze (OPB) Max. Wattage: 2 × 60W E27 IP Rating: IP44

27753


1lt Small Wall Lantern

H: 321mm W: 160mm P: 186mm Finish: Old Painted Bronze (OPB) Max. Wattage: 1 × 75W E27 IP Rating: IP44

27707

2lt Small Outdoor Lantern

H: 359mm W: 172mm P: 165mm Finish: Old Painted Bronze (OPB) Max. Wattage: 2 × 60W E14 IP Rating: IP44



Finishes available:



- traditional crook style with Parisian inspiration
- made from weather resistant composite material
- clear seedy glass outer with inner cased white glass shade

27120 1lt Medium Wall Lantern

H: 487mm W: 190mm P: 184mm Finish: Dark Weathered Zinc (DWZ) Max. Wattage: 1 × 75W E27 IP Rating: IP44

27123 1lt Large Chain Lantern

H: 537mm W: 216mm Drop Range: 633mm - 2189mm (Supplied with 1524mm of chain.) Finish: Dark Weathered Zinc (DWZ) Max. Wattage: 1 × 75W E27 IP Rating: IP44

27121 **1lt Large Wall Lantern**

H: 650mm W: 216mm P: 245mm Finish: Dark Weathered Zinc (DWZ) Max. Wattage: 1 × 75W E27 IP Rating: IP44





Finishes available:



- traditional crook style with Parisian inspiration
- made from weather resistant composite material
- clear seedy glass outer with inner cased white glass shade

27124 **2lt Flush Mount**

H: 145mm W: 330mm Finish: Dark Weathered Zinc (DWZ) Max. Wattage: 2 × 75W E27 IP Rating: IP44

27119

1lt Small Wall Lantern

H: 419mm W: 178mm P: 184mm Finish: Dark Weathered Zinc (DWZ) Max. Wattage: 1 × 75W E27 IP Rating: IP44

27122

1lt Extra Large Wall Lantern

H: 891mm W: 292mm P: 328mm Finish: Dark Weathered Zinc (DWZ) Max. Wattage: 1 × 75W E27 IP Rating: IP44









Finishes available:



- modernised coach lantern style
- made from weather resistant composite material
- white opal glass

27746 1lt Small Wall Lantern

H: 293mm W: 161mm P: 153mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27744 1lt Large Wall Lantern

H: 461mm W: 214mm P: 195mm Finish: Textured Black (TBK) Max. Wattage: 1 × 75W E27 IP Rating: IP44

27745 11t Medium Wall Lantern

H: 342mm W: 191mm P: 178mm Finish: Textured Black (TBK) Max. Wattage: 1 × 75W E27 IP Rating: IP44

27746





27745



146 **5 YEAR*** GUARANTEE



147

Finishes available:



• black polymer construction ideal for tough coastal climates

• opal polycarbonate globe diffusers

20677 1lt Pedestal/Porch Lantern

H: 420mm W: 270mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44 Can be mounted as up or down light

20676 1lt Chain Lantern

H: 420mm W: 270mm Drop Range: 535mm - 730mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

20675

1lt Wall Lantern

H: 440mm W: 270mm P: 320mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44 Can be mounted as up or down light

20679 **1lt Lamp Post**

H: 1810mm W: 270mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20678 1lt Pillar Lantern

H: 1060mm W: 270mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44



20 YEAR* GUARANTEE MADE IN ITALY



Finishes available:



- traditional 4-sided lantern
- black polymer construction ideal for tough coastal climates
- clear bevelled polycarbonate
 diffusers

20682 1lt Pedestal/Porch Lantern

H: 490mm W: 205mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

Can be mounted as up or down light

20683 1lt Chain Lantern

H: 510mm W: 205mm Drop Range: 625mm - 730mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

20684 **1lt Wall Lantern**

H: 520mm W: 205mm P: 280mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44 Can be mounted as up or down light

20680

1lt Lamp Post

H: 1910mm W: 255mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25115 **1lt Flush Wall Mount**

H: 440mm W: 205mm P: 140mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20681 **1lt Pillar**

H: 1160mm W: 255mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44



20 YEAR* GUARANTEE

Finishes available:



- traditional 6-sided lantern
- black polymer construction ideal for tough coastal climates
- clear bevelled polycarbonate diffusers

20685 1lt Wall Lantern

H: 460mm W: 230mm P: 270mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

Can be mounted as up or down light

20686 11t Chain lantern

H: 520mm W: 230mm Drop Range: 635mm - 730mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20690 1lt Lamp Post

H: 1930mm W: 255mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20688 1lt Flush Wall Mount

H: 440mm W: 250mm P: 127mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20687 1lt Pedestal/Porch Lantern

H: 510mm W: 230mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

Can be mounted as up or down light

20689 1lt Pillar

H: 1180mm W: 255mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44



20690

20689



20686



20687

20687





150





25128







Finishes available:



- black polymer construction ideal for tough coastal climates
- clear polycarbonate diffusers

25117 **1lt Chain Lantern**

H: 390mm W: 250mm Drop Range: 530mm - 730mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

25118 **1lt Down Wall Lantern**

H: 410mm W: 250mm P: 320mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25128 2lt Up/Down Wall Light

H: 300mm W: 190mm P: 150mm Finish: Textured Black (TBK) Max. Wattage: 2 × 60W E27 IP Rating: IP44

25120 **1lt Pillar**

H: 1180mm W: 250mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25119 **1lt Pedestal**

H: 500mm W: 250mm Finish: Textured Black (TBK) Max. Wattage: 1 × 100W E27 IP Rating: IP44



ΡN

Finishes available:

AB

25011 **3lt Chain Lantern**

pre-Georgian style handmade in solid brass

· clear glass panels

H: 480mm W: 220mm Drop Range: 570mm - 895mm Finish: Aged Brass (AB) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25012

3lt Chain Lantern

H: 480mm W: 220mm Drop Range: 570mm - 895mm Finish: Polished Nickel (PN) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25009

3lt Wall Lantern

H: 478mm W: 220mm P: 346mm Finish: Aged Brass (AB) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25010 **3lt Wall Lantern**

H: 478mm W: 220mm P: 346mm Finish: Polished Nickel (PN) Max. Wattage: 3 × 60W E14 IP Rating: IP44













20158



20907



20160



31045

Finishes available:



• pre-Georgian style

• handmade in solid brass

• clear glass panels

20158 **1lt Wall Lantern**

H: 375mm W: 220mm P: 120mm Finish: Aged Brass (AB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20907 1lt Wall Lantern

H: 375mm W: 220mm P: 120mm Finish: Verdigris (V) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20160 **1lt Wall Lantern**

H: 375mm W: 220mm P: 120mm Finish: Polished Nickel (PN) Max. Wattage: 1 × 100W E27 IP Rating: IP44

31045 **2lt Large Wall Lantern**

H: 489mm W: 296mm P: 145mm Finish: Aged Brass (AB) Max. Wattage: 2 × 100W E27 IP Rating: IP44

*Guarantee details on p212.

Finishes available:



- pre-Georgian style
- handmade in solid brass
- clear glass panels

20164 **1lt Wall Lantern**

H: 305mm W: 225mm P: 80mm Finish: Polished Nickel (PN) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20169 **1lt Wall Lantern**

H: 305mm W: 225mm P: 80mm Finish: Aged Brass (AB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

21273

1lt Wall Lantern

H: 305mm W: 225mm P: 80mm Finish: Verdigris (V) Max. Wattage: 1 × 100W E27 IP Rating: IP44

31047 **2lt Large Wall Lantern**

H: 413mm W: 300mm P: 116mm Finish: Aged Brass (AB) Max. Wattage: 2 × 100W E27 IP Rating: IP44



20164

20169



31047

21273



154 LIMITED LIFETIME



20165





20161



Finishes available:



handmade in solid brass

clear glass panels

20165 **1lt Wall Lantern**

H: 375mm W: 260mm P: 120mm Finish: Polished Nickel (PN) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20172 **1lt Wall Lantern**

H: 375mm W: 260mm P: 120mm Finish: Aged Brass (AB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20161 **1lt Wall Lantern**

H: 280mm W: 210mm P: 110mm Finish: Aged Brass (AB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

31046 **2lt Large Wall Lantern**

H: 375mm W: 260mm P: 150mm Finish: Aged Brass (AB) Max. Wattage: 2 × 100W E27 IP Rating: IP44

31046

Finishes available:



- handmade in solid brass
- clear glass panels

20171 **1lt Wall Lantern**

H: 260mm W: 175mm P: 100mm Finish: Aged Brass (AB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

21241 **1lt Wall Lantern**

H: 260mm W: 175mm P: 100mm Finish: Verdigris (V) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20157 **1lt Wall Lantern**

H: 270mm W: 180mm P: 130mm Finish: Aged Brass (AB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

21238 **1lt Wall Lantern**

H: 270mm W: 180mm P: 130mm Finish: Verdigris (V) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

21239 **1lt Wall Lantern**

H: 350mm W: 185mm P: 100mm Finish: Verdigris (V) Max. Wattage: 1 × 100W E27 IP Rating: IP44

20166 **1lt Wall Lantern**

H: 350mm W: 185mm P: 100mm Finish: Aged Brass (AB) Max. Wattage: 1 × 100W E27 IP Rating: IP44



20171





21239

21238



XXXXX

20166



6 LIMITED LIFETIME WARRANTY*



Finishes available:



- 1900s industrial influence
- clear glass
- handmade in solid brass
- finish will age naturally into a rich patina

23678 **1lt Wall Lantern**

H: 240mm W: 295mm P: 390mm Finish: Antique Nickel (AN) Max. Wattage: 1 × 100W E27 IP Rating: IP44

23680 **1lt Wall Lantern**

H: 240mm W: 295mm P: 390mm Finish: Verdigris (V) Max. Wattage: 1 × 100W E27 IP Rating: IP44

23679 **1lt Wall Lantern**

H: 240mm W: 295mm P: 390mm Finish: Aged Brass (AB) Max. Wattage: 1 × 100W E27 IP Rating: IP44







Cage accessories available for all fittings in all 3 finishes.





-	1
-	1
-	
-	-
-	

Antique Nickel 23677

Aged Brass 23675

Verdigris 23676



Finishes available:



- 1900s industrial influence
- clear glass
- handmade in solid brass
- finish will age naturally into a rich patina

25202

1lt Chain Lantern

H: 255mm W: 295mm Drop Range: 330mm - 950mm Finish: Aged Brass (AB) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

Image shown with optional cage - to order use code 23675.

25204 **1lt Chain Lantern**

H: 255mm W: 295mm Drop Range: 330mm - 950mm Finish: Verdigris (V) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

25203

1lt Chain Lantern

H: 255mm W: 295mm Drop Range: 330mm - 950mm Finish: Antique Nickel (AN) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

Finishes available:



- 1900s barn lamp influence
- clear glass
- handmade in solid brass
- finish will age naturally into a rich patina

25209 **1lt Chain lantern**

H: 255mm W: 240mm Drop Range: 330mm - 950mm Finish: Aged Brass (AB) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

25210 **1lt Chain lantern**

H: 255mm W: 240mm Drop Range: 330mm - 950mm Finish: Verdigris (V) Max. Wattage: 1 × 100VV E27 IP Rating: IP44

23672 **1lt Wall Lantern**

H: 250mm W: 240mm P: 370mm Finish: Aged Brass (AB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

Image shown with optional cage - to order use code 23675.

23674 **1lt Wall Lantern**

H: 250mm W: 240mm P: 370mm Finish: Verdigris (V) Max. Wattage: 1 × 100W E27 IP Rating: IP44





Aged Brass 23675

Verdigris 23676



18794

18789





18793

18790



Finishes available:



Georgian style lanterns

• clear glass

• handmade in solid brass

18794 1lt Small Wall Lantern

H: 310mm W: 130mm P: 110mm Finish: Dark Bronze (DBZ) Max. Wattage: 1 × 60W E14 IP Rating: IP44

18789

2lt Medium Wall Lantern

H: 310mm W: 255mm P: 110mm Finish: Dark Bronze (DBZ) Max. Wattage: 2 × 60W E14 IP Rating: IP44

18793

1lt Small Wall Lantern

H: 310mm W: 130mm P: 110mm Finish: Polished Chrome (PC) Max. Wattage: 1 × 60W E14 IP Rating: IP44

18790

2lt Medium Wall Lantern

H: 310mm W: 255mm P: 110mm Finish: Polished Chrome (PC) Max. Wattage: 2 × 60W E14 IP Rating: IP44



Model shown: 24949







24946



Finishes available:



• vintage nautical style

- clear seedy glass
- handmade in solid brass

24945 1lt Small Wall Lantern

H: 318mm W: 121mm P: 165mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 1 × 60W E14 IP Rating: IP44

24948

2lt Medium Wall Lantern

H: 406mm W: 152mm P: 203mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 2 × 60W E14 IP Rating: IP44

24949

3lt Large Wall Lantern

H: 533mm W: 203mm P: 260mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 3 × 60W E14 IP Rating: IP44

24946

3lt Pedestal

H: 630mm W: 203mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 3 × 60W E14 IP Rating: IP44

Finishes available:



- sophisticated coastal design
- clear seedy glass
- handmade in solid brass

25737 **3lt Medium Wall Lantern**

H: 394mm W: 229mm P: 222mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25740 **3lt Chain Lantern**

H: 425mm W: 229mm Drop Range: 510mm - 1150mm (Supplied with 725mm of chain.) Finish: Rustic Aged Brass (RAB) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25738

1lt Small Wall Lantern

H: 356mm W: 178mm P: 178mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 1 × 100W E27 IP Rating: IP44

25735 **3lt Large Wall Lantern**

H: 610mm W: 229mm P: 235mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 3 × 60W E14 IP Rating: IP44

25736 **4lt Extra-Large Wall Lantern**

H: 744mm W: 241mm P: 305mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 4 × 60W E14 IP Rating: IP44

25739 **3lt Pedestal**

H: 550mm W: 229mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 3 × 60W E14 IP Rating: IP44









23224

Finishes available:



- American East Coast style
- clear seedy glass
- handmade in solid brass

23226 **2lt Chain Lantern**

H: 465mm W: 178mm Drop Range: 535mm - 2059mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 2 × 60W E14 IP Rating: IP44

23225 2lt Medium Wall Lantern

H: 439mm W: 178mm P: 235mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 2 × 60W E14 IP Rating: IP44

23224

4lt Large Wall Lantern

H: 495mm W: 229mm P: 286mm Finish: Rustic Aged Brass (RAB) Max. Wattage: 4 × 60W E14 IP Rating: IP44



*Guarantee details on p212.

Finishes available:



- classic New England style
- clear seedy glass
- handmade in solid brass

23198 1lt Duo-Mount Small Chain Lantern

H: 229mm W: 178mm Drop Range: 490mm - 2014mm Finish: Rustic Aged Bronze (RAZ) Max. Wattage: 1 × 60W E27 IP Rating: IP23

23197

1lt Small Wall Lantern

H: 356mm W: 184mm P: 203mm Finish: Rustic Aged Bronze (RAZ) Max. Wattage: 1 × 60W E27 IP Rating: IP23

23196

1lt Duo-Mount Large Chain Lantern

H: 495mm W: 279mm Drop Range: 570mm - 2094mm Finish: Rustic Aged Bronze (RAZ) Max. Wattage: 1 × 100W E27 IP Rating: IP23

23199 1lt Medium Wall Lantern

H: 457mm W: 222mm P: 260mm Finish: Rustic Aged Bronze (RAZ) Max. Wattage: 1 × 100W E27 IP Rating: IP23















The interpretation of Modern lighting can vary. Designs can be based on anything from updated Scandinavian retro looks, to more clean and straight lined styles inspired by modern architecture. This series includes a mix of both, some incorporating integral LED for low energy consumption. All models suit both residential and commercial applications.







Model shown: 24386



Finishes available:



- Scandinavian 'swan neck' style
- 304 grade stainless steel with powder coating for durability
- clear glass casing

27008 1lt Chain Lantern

H: 260mm W: 275mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

24386 **1lt Chain Lantern**

H: 260mm W: 275mm Finish: Silver (SV) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27009

1lt Wall Lantern

H: 255mm W: 275mm P: 420mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

23819 **1lt Wall Lantern**

H: 255mm W: 275mm P: 420mm Finish: Silver (SV) Max. Wattage: 1 × 60W E27 IP Rating: IP44

Finishes available:

SV

- Danish inspired lanterns
- 304 grade stainless steel with powder coating for durability
- clear glass casing

23817 **1lt Wall Lantern**

H: 236mm W: 218mm P: 260mm Finish: Silver (SV) Max. Wattage: 1 × 60W E27 IP Rating: IP44

23818 **1lt Wall Lantern**

H: 236mm W: 218mm P: 260mm Finish: Silver (SV) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27021

1lt Bollard Lantern

H: 1000mm W: 218mm Finish: Silver (SV) Max. Wattage: 1 × 60W E27 IP Rating: IP44

24388 1lt PIR Wall Lantern

H: 236mm W: 218mm P: 260mm Finish: Silver (SV) Max. Wattage: 1 × 60W E27 IP Rating: IP44 PIR detectors are guaranteed for 2 years.

24387 1lt Pedestal Lantern

H: 305mm W: 221mm Finish: Silver (SV) Max. Wattage: 1 × 60W E27 IP Rating: IP44







27021











Finishes available:



- Danish inspired lanterns
- 304 grade stainless steel with powder coating for durability
- clear glass casing

27004 11t Wall Lantern

H: 236mm W: 218mm P: 260mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27003 **1lt Wall Lantern**

H: 236mm W: 218mm P: 260mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27007

1It Bollard Lantern

H: 1000mm W: 218mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

27006 11t PIR Wall Lantern

H: 236mm W: 218mm P: 260mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

PIR detectors are guaranteed for 2 years.

27005 11t Pedestal Lantern

H: 305mm W: 221mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

Finishes available:



- Scandinavian style lanterns
- 304 grade stainless steel with powder coating for durability
- clear glass casing

24391 11t Wall Lantern

H: 245mm W: 90mm P: 150mm Finish: Textured Black (TBK) **Max. Wattage:** 1 × 60W E27 IP Rating: IP44

24389 11t Wall Lantern

H: 391mm W: 90mm P: 200mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

24390 **1lt Pedestal Lantern**

H: 307mm W: 130mm Finish: Textured Black (TBK) Max. Wattage: 1 × 60W E27 IP Rating: IP44

24391





24390







- Scandinavian style lanterns
- lacquered 304 grade stainless steel will age if not maintained
- clear glass

15025 **1lt Wall lantern**

H: 344mm W: 182mm P: 233mm Finish: Stainless Steel (STS) Max. Wattage: 1 × 100W E27 IP Rating: IP44

16661 **1lt Bollard**

H: 1000mm W: 218mm Finish: Stainless Steel (STS) Max. Wattage: 1 × 60W E27 IP Rating: IP44

14948 **1lt Wall Lantern**

H: 236mm W: 218mm P: 260mm Finish: Stainless Steel (STS) Max. Wattage: 1 × 60W E27 IP Rating: IP44

14330 **1lt Wall Lantern**

H: 365mm W: 135mm P: 165mm Finish: Stainless Steel (STS) Max. Wattage: 1 × 60W E27 IP Rating: IP44





Model shown: 27137



27137

27136

27139

27138



MODERN

Finishes available:



- feature one lamp inside and one lamp underneath the fitting ideal for dark sky locations
- supplied with retrofit LED lamps

27137 2lt LED Wall Light

H: 229mm W: 229mm P: 102mm Finish: Titanium (TT) Max. Wattage: 2 × 7W LED E14 LED details: 600Lm, 2700k IP Rating: IP44

Includes replaceable lamps.

27136 2lt LED Wall Light

H: 229mm W: 229mm P: 102mm Finish: Satin Black (SBK) Max. Wattage: 2 × 7W LED E14 LED details: 600Lm, 2700k IP Rating: IP44 Includes replaceable lamps.

27139 2lt LED Wall Light

H: 409mm W: 152mm P: 89mm Finish: Titanium (TT) Max. Wattage: 2 × 7W GU10 LED LED details: 620Lm, 3000k IP Rating: IP44 Includes replaceable lamps.

27138

2lt LED Wall Light

H: 409mm W: 152mm P: 89mm Finish: Satin Black (SBK) Max. Wattage: 2 × 7W GU10 LED LED details: 620Lm, 3000k IP Rating: IP44 Includes replaceable lamps.

Finishes available:



- die-cast aluminium fittings with polyester powder coating
- illuminate the wall with unique lighting effects
- polycarbonate diffusers


50987 LED Wall/Ceiling Fitting

H: 200mm W: 200mm P: 78mm Finish: Graphite (GR) Max. Wattage: 11W LED LED details: 4 × 190 LM, IP Rating: IP54

50986 1lt Wall/Ceiling Fitting

H: 300mm W: 300 P: 87mm Finish: Graphite (GR) Max. Wattage: 1 × 22W T5 IP Rating: IP54 Lamp included.









178 **5 YEAR*** GUARANTEE

Finishes available:



- die-cast aluminium fittings with polyester powder coating
- choose from a 2-way or 4-way directional light for a stylish look on buildings when lit

50972 LED Wall Fitting

H: 165mm W: 181mm P: 97mm Finish: Graphite (GR) Max. Wattage: 10W LED LED details: Wide: 220, Narrow: 228 LM, IP Rating: IP54

50971 LED Wall Fitting

H: 97mm W: 155mm P: 64mm Finish: Graphite (GR) Max. Wattage: 6W LED LED details: Wide: 110, Narrow: 114 LM, IP Rating: IP54



50972





50971



Model shown: 27894

Finishes available:



- clean, modern designs with LED lamping
- die-cast aluminium bodies with polyester powder coating
- model 27894 uses ribbed glass to emphasize light housed at the top

50977 LED Wall Fitting

H: 150mm W: 110mm P: 102mm Finish: Graphite (GR) Max. Wattage: 3.8W LED LED details: 150 LM, IP Rating: IP44

5 YEAR* guarantee

27894 LED Wall Fitting

H: 407mm W: 166mm P: 143mm Finish: Grey Bronze (GBZ) Max. Wattage: 1 × 7W GU10 LED LED details: 620Lm, 3000k IP Rating: IP44

LED lamp supplied.

3 YEAR* guarantee

50976 LED Wall Fitting

H: 235mm W: 110mm P: 102mm Finish: Graphite (GR) Max. Wattage: 7.6W LED LED details: 2 × 150 LM, IP Rating: IP44

5 YEAR* guarantee





50976

50977

27894



Finishes available:



- die-cast aluminium fittings with polyester powder coating
- polycarbonate lenses

50967 1lt Wall Fitting

H: 165mm W: 165mm P: 171mm Finish: Graphite (GR) Max. Wattage: 1 × 60W E27 IP Rating: IP54

50966

1lt Wall Fitting

H: 250mm W: 200mm P: 105mm Finish: Graphite (GR) Max. Wattage: 1 × 60W E27 IP Rating: IP54

50974 2lt Up/Down Wall Light

H: 188mm W: 100mm P: 128mm Finish: Graphite (GR) Max. Wattage: 2 × 9W LED GX53 IP Rating: IP44 Lamps included.

50975 1lt Down Wall Light

H: 146mm W: 100mm P: 128mm Finish: Graphite (GR) Max. Wattage: 1 × 9W LED GX53 IP Rating: IP44 Lamp included.







50966



50975





50980



Finishes available:



- die-cast aluminium fittings with polyester powder coating
- each bank of LEDs is rotatable by 320°

50981 LED Wall Spotlight

H: 35mm W: 210mm P: 250mm Finish: Graphite (GR) Max. Wattage: 18W LED LED details: 2 × 605 LM, IP Rating: IP65

50980 LED Wall Spotlight

H: 35mm W: 210mm P: 160mm Finish: Graphite (GR) Max. Wattage: 9W LED LED details: 605 LM, IP Rating: IP65

50979

LED Wall PIR Spotlight

H: 124mm W: 230mm P: 230mm Finish: Graphite (GR) Max. Wattage: 9W LED LED details: 605 LM, IP Rating: IP54

PIR detectors are guaranteed for 2 years. PIR range: min. Om to 12m max.

Time adjustment: 10 secs to 8 mins Detection width: 150°

Finishes available:



- hooded designs ideal for dark sky locations
- die-cast aluminium fittings with polyester powder coating
- polycarbonate diffusers



H: 70mm W: 264mm P: 134mm Finish: Graphite (GR) Max. Wattage: 12W LED LED details: 702 LM, IP Rating: IP54

50988 LED Wall Spotlight

H: 165mm W: 165mm P: 90mm Finish: Graphite (GR) Max. Wattage: 6W LED LED details: 260 LM, IP Rating: IP54

50973 LED Wall Fitting

H: 115mm W: 180mm P: 70.5mm Finish: Graphite (GR) Max. Wattage: 9W LED LED details: 370 LM, IP Rating: IP54

50989 LED Wall Spotlight

H: 150mm W: 150mm P: 72mm Finish: Graphite (GR) Max. Wattage: 6W LED LED details: 260 LM, IP Rating: IP54





50989

50978

50988



50970

50969





50968

Finishes available:



- die-cast aluminium fittings with polyester powder coating
- polycarbonate lenses

50970 1lt Ceiling Fitting

H: 280mm W: 280mm P: 180mm Finish: Graphite (GR) Max. Wattage: 1 × 100W E27 IP Rating: IP54

50969

1It Wall Fitting

H: 160mm W: 160mm P: 167mm Finish: Graphite (GR) Max. Wattage: 1 × 60W E27 IP Rating: IP54

50968 1lt Wall Fitting

H: 210mm W: 210mm P: 175mm Finish: Graphite (GR) Max. Wattage: 1 × 100W E27 IP Rating: IP54

*Guarantee details on p212.

Finishes available:



- die-cast aluminium fittings with polyester powder coating
- polycarbonate diffusers
- 3-bar fittings can be used on ceilings as well as walls

50992 2lt Wall/Ceiling Fitting

H: 300mm W: 185mm P: 90mm Finish: Graphite (GR) Max. Wattage: 2 × 60VV E27 IP Rating: IP54

50991 11t Wall/Ceiling Fitting

H: 260mm W: 260mm P: 102mm Finish: Graphite (GR) Max. Wattage: 1 × 60W E27 IP Rating: IP54

50990 1lt Wall Fitting

H: 346mm W: 191mm P: 143mm Finish: Graphite (GR) Max. Wattage: 1 × 100W E27 IP Rating: IP65





50992









50984





50983

50982



Finishes available:



- compact design ideal for lighting stairs, walkways and building exteriors
- die-cast aluminium fittings with polyester powder coating
- polycarbonate diffusers

50984 LED Wall/Ceiling Fitting

H: 140mm W: 140mm P: 52mm Finish: Graphite (GR) Max. Wattage: 1 × 9W LED GX53 IP Rating: IP54 LED lamp included.

50985 LED Wall/Ceiling Fitting

H: 140mm W: 140mm P: 57mm Finish: Graphite (GR) Max. Wattage: 1 × 9W LED GX53 IP Rating: IP54 LED lamp included.

50983 LED Wall/Ceiling Fitting

H: 140mm W: 140mm P: 50mm Finish: Graphite (GR) Max. Wattage: 1 × 9W LED GX53 IP Rating: IP54 LED lamp included.

50982 LED Wall/Ceiling Fitting

H: 140mm W: 140mm P: 54mm Finish: Graphite (GR) Max. Wattage: 1 × 9W LED GX53 IP Rating: IP54 LED lamp included.

LANDSCAPE LIGHTING

The Landscape Lighting Collection offers a versatile selection of high quality, easy to install and energy efficient products for all parts of the garden landscape, designed for use by professional gardeners, landscapers and architects.

Using our excellent low voltage plug & go system allows a large number of fittings from these ranges to be connected together over a distance of up to 80 metres. Furthermore, all the fittings within the plug & go series use LED light sources, which have very good light output properties alongside exceptionally low energy consumption. Added to this we offer a complementary range of 220-240V energy efficient models in matching designs as well as range accessories to ensure the widest possible choice.

PLUG & GO: HOW IT WORKS

Step 1: Choose the areas you want to have lit, then we suggest that you sketch a rough plan view of each area involved.


Step 2: Choose the fittings which will suit the requirements and list them out with the quantity of each where relevant. Be careful to bear in mind the voltage of the fittings chosen. All 220-240V fittings will need mains supply to wherever they are to be installed whereas all plug & go models just need to be connected into the low voltage cable (as shown below).

Step 3: Measure the distance involved for the plug & go models chosen and determine, from the cable set options available which cable set or sets will be needed. Remember, up to 80 metres of cable can be used from 1 LED driver but the wattage loading must not exceed the recommended minimum, maximum (see accessories page 209).


Step 4: Plan where the mains supply will originate from. With the plug & go system you have a choice of placing the LED driver/drivers in an IP rated wall box on an exterior wall. However, depending on how large an area is involved, sometimes more than one mains feed may be needed in different locations. Consultation with an electrician is advisable on this matter.

<u>Important</u>

Plug & go fittings use a unique single pin, 2 pole plug and as such are not compatible with any other product or system. Currently they are not dimmable but they will work when wired via a timer.



plug & go





Model shown: 18099



Spotlight Fitting

- p			
Product Code	18099 (Aged Bronze) 18098 (Verdigris)	Lumens	300Lm
Material	Heavy Cast Bronze	Beam Angle	35°
Finish	Aged Bronze or Verdigris	Incandescent Equivalency	30~
IP Rating	IP44	Power Supply Requirement	220V-240V
Voltage	12V	Dimmable	Not Dimmable
Light Source	3 × 1W LED	Cabling	1.5m
Colour Temp.	3000k	Notes	21562 (ground spike) included with each model
Optional Mounting Accessories	For 18099 (see above) 18120 - Brass Pole 18123 - Brass Flange	Optional Mounting Accessories	For 18098 (see above) 18121 - Verdigris Pole 18124 - Verdigris Flange



Hex Pagoda Light

-	-	
Product Code(s)	18112 (Aged Brass) 18111 (Verdigris)	
Light Source	1 x 1W LED	
Colour Temp.	3000k	
Lumens	100Lm	
Beam Angle	90°	
Voltage	12V	
IP Rating	IP54	
Power Supply Requirement	220V-240V	
Incandescent Equivalency	6W	
Material	Heavy Cast Bronze	
Finish	Aged Bronze or Verdigris	
Dimmable	Not Dimmable	
Cabling	1.5m	
Notes	21562 (ground spike) included with each model	



18107



160mm ø 160mm ø



LED plug & go

In-Groud Tiltable Spotlight


Product Code(s)	18107 (Aged Bronze) 18108 (Verdigris)
Light Source	3 x 1W LED
Colour Temp.	3000k
Lumens	300Lm
Beam Angle	35° (beam spread subject to depth set)
Voltage	12V
IP Rating	IP44
Power Supply Requirement	220V-240V
Incandescent Equivalency	30₩
Material	Heavy Cast Bronze
Finish	Aged Bronze or Verdigris
Dimmable	Not Dimmable
Cabling	1.5m
Cutout Hole	140mm ø
Notes	NOT suitable for driving over












Floodlight Fitting

Product Code(s)	18106 (Aged Bronze) 18105 (Verdigris)	Lumens	400Lm
Material	Heavy Cast Bronze	Beam Angle	35°
Finish	Aged Bronze or Verdigris	Incandescent Equivalency	40VV
IP Rating	IP44	Power Supply Requirement	220V-240V
Voltage	12V	Dimmable	Not Dimmable
Light Source	4 × 1W LED	Cabling	1.5m
Colour Temp.	3000k	Notes	21562 (ground spike) included with each model

plug & go

LED



Model shown: 18116



18117



18116





.ED	plug & go
.ED	& go

Round Mini Wall Light

Product Code(s)	18117 (Aged Bronze) 18116 (Verdigris)
Light Source	1 x 1W LED
Colour Temp.	3000k
Lumens	100Lm
Beam Angle	35°
Voltage	12V
IP Rating	IP44
Incandescant Equivalency	6W
Power Supply Requirement	220V-240V
Material	Heavy Cast Bronze
Finish Aged Bronze or Verdigris	
Dimmable	Not Dimmable
Cabling	1.5m



18114



18115

plug & go


LED

Round Mini Eyelid Light

50mm

85mm ø

Product Code(s)	18114 (Aged Bronze) 18115 (Verdigris)		
Light Source	1 x 1W LED		
Colour Temp.	3000k		
Lumens	100Lm		
Beam Angle	35°		
Voltage	12V		
IP Rating	IP44		
Incandescant Equivalency	6W		
Power Supply Requirement	220V-240V		
Material	Heavy Cast Bronze		
Finish Aged Bronze or Verdigris			
Dimmable	Not Dimmable		
Cabling	1.5m		



Model shown: 18144

LANDSCAPE LIGHTING




Plain Ring In-Ground Light

2	5	
Product Code(s)	18135 (Stainless Steel) 18136 (Brass)	
Light Source	3 × 1W LED	
Colour Temp.	3000k	
Lumens	300Lm	
Beam Angle	35°	
Voltage	12V	
IP Rating	IP65	
Dimmable	Not Dimmable	
Incandescent Equivalency	30W	
Material	304 Grade Stainless Steel or Solid Natural Brass head Machined aluminium bodies	
Finish	Stainless Steel or Brass	
Cabling	1.5m	
Cutout Hole	76mm Ø	
Notes	Come supplied with plastic underground casing suitable for concreting/tarmacking in place. Safe to drive over - maximum load 2500kg Materials are untreated and their finish will age over time.	


40mm ø 40mm ø 40mm ø 64mm (including plastic casing)

Plain Push In, In-Ground/Deck Light

Product Code(s)	18145
Light Source	1 x 1.2W LED
Colour Temp.	3000k
Lumens	100Lm
Beam Angle	35°
Voltage	12V
IP Rating	IP65
Dimmable	Not Dimmable
Incandescent Equivalency	6W
Material	Machined aluminium body
Finish	Brushed Aluminium
Cabling	1.5m
Cutout Hole	33mm Ø
Notes	Come supplied with plastic underground casing suitable for concreting/tarmacking in place. NOT safe to drive over



198 **5 YEAR*** GUARANTEE



Product Code(s)	18141 (Stainless Steel) 18142 (Brass)
Light Source	3 × 1W LED
Colour Temp.	3000k
Lumens	300Lm
Beam Angle	35°
Voltage	12V
IP Rating	IP65
Dimmable	Not Dimmable
Incandescent Equivalency	25W
Material	304 Grade Stainless Steel or Solid Natural Brass head Machined aluminium bodies
Finish	Stainless Steel or Brass
Cabling	1.5m
Cutout Hole	76mm ø
Notes	Come supplied with plastic underground casing suitable for concreting/tarmacking in place. Safe to drive over - maximum load 2500kg Materials are untreated and their finish will age over time.

Product Code(s)	18144 (Stainless Steel) 18143 (Brass)
Light Source	3 x 1W LED
Colour Temp.	3000k
Lumens	300Lm
Beam Angle	35°
Voltage	12V
IP Rating	IP65
Dimmable	Not Dimmable
Incandescent Equivalency	25W
Material	304 Grade Stainless Steel or Solid Natural Brass head Machined aluminium bodies
Finish	Stainless Steel or Brass
Cabling	1.5m
Cutout Hole	76mm ø
Notes	Come supplied with plastic underground casing suitable for concreting/tarmacking in place. Safe to drive over - maximum load 2500kg Materials are untreated and their finish will age over time.




Model shown: 18126



18125



18126



Up/Down Wall Fitting

Product Code	18125 (Anodised Aluminium) 18126 (Solid Natural Brass)	LED Lumens	2 × 300 Lm
Material	Marine Grade Aluminium or Solid Natural Brass (Natural brass is untreated and its finish will age over time.)	Beam Angle	35°
Finish	Anodised Aluminium or Natural Brass	Incandescent Equivalency	2 × 30W
IP Rating	IP54	Power Supply Requirement	220V-240V
Voltage	220-240V	Dimmable	Not Dimmable
Light Source	3 × 1W LED × 2	Optional Lens	Blue, red, amber or green (see page 208)
Colour Temp.	3000k		

LED




Model shown: 18127



18128



18127



Spotlight Wall Fitting

Product Code	18128 (Anodised Aluminium) 18127 (Natural Brass)	Lumens	300Lm
Material	Marine Grade Aluminium or Solid Natural Brass (Natural brass is untreated and its finish will age over time.)	Beam Angle	35°
Finish	Anodised Aluminium or Natural Brass	Incandescent Equivalency	30\VV
IP Rating	IP54	Power Supply Requirement	220V-240V
Voltage	220-240V	Dimmable	Not Dimmable
Light Source	3 × 1W LED	Optional Lens	Blue, red, amber or green (see page 208)
Colour Temp.	3000k		

LED





LED

95mm 175mm 95mm



LED

arne	Spotlight	+ \λ/all	Fitting
Laiuc	SDOLIIUIT	L VVAII	IILLIILU

Product Code(s)	25016
Light Source	6 x 1W LED
Colour Temp.	3000k
Lumens	600Lm
Beam Angle	35°
Voltage	240V
IP Rating	IP54
Power Supply Requirement	220V-240V
Incandescent Equivalency	60VV
Material	Marine Grade Aluminium
Finish	Anodised Aluminium
Dimmable	Not Dimmable


130mm 85mm

47mm

Small Spotlight Wall Fitting Product Code(s) 25020 $1 \times 1 W LED$ Light Source 3000k Colour Temp. Lumens 100Lm Beam Angle 35° Voltage 240V **IP** Rating IP54 Power Supply 220V-240V Requirement Incandescent 6W Equivalency Material Marine Grade Aluminium Finish Anodised Aluminium Dimmable Not Dimmable







plug & go	LED

Large Spotlight Fitting

Product Code(s)	25015
Light Source	6 × 1W LED
Colour Temp.	3000k
Lumens	600Lm
Beam Angle	35°
Voltage	12V
IP Rating	IP54
Power Supply Requirement	220V-240V
Incandescent Equivalency	60~
Material	Marine Grade Aluminium
Finish	Anodised Aluminium
Dimmable	Not Dimmable
Cabling	1.5m
Optional Mounting Accessories	18131 - Aluminium Pole 50824 - Black Nylon Spike (see page 208)

45mm	
ŀ₽	90mm
 60mm	T

Small Spotlight Fitting



plug & go

LED

Product Code(s)	25019
Light Source	1 x 1W LED
Colour Temp.	3000k
Lumens	100Lm
Beam Angle	35°
Voltage	12V
IP Rating	IP54
Power Supply Requirement	220V-240V
Incandescent Equivalency	6W
Material	Marine Grade Aluminium
Finish	Anodised Aluminium
Dimmable	Not Dimmable
Cabling	1.5m
Optional Mounting Accessories	18131 - Aluminium Pole (see p 208) Comes supplied with own spike (not interchangeable with 50824)



Model shown: 18130 - shown on 2 x optional poles - 18132



18129



18130



Spotlight Fitting

Spotlight Int	5		
Product Code	18129 (Anodised Aluminium) 18130 (Natural Brass)	Lumens	300Lm
Material	Marine Grade Aluminium or Solid Natural Brass (Natural brass is untreated and its finish will age over time.)	Beam Angle	35°
Finish	Anodised Aluminium or Natural Brass	Incandescent Equivalency	30~~
IP Rating	IP54	Power Supply Requirement	220∨-240∨
Voltage	12V	Dimmable	Not Dimmable
Light Source	3 × 1W LED	Cabling	1.5m
Colour Temp.	3000k	Optional Lens Accessories	Blue, red, amber or green (for more details see page 208)
Optional Mounting Accessories	For 18129 (see page 208) 18131 - Aluminium Pole 50824 - Black Nylon Spike	Optional Mounting Accessories	For 18130 (see page 208) 18132 - Brass Pole 50824 - Black Nylon Spike

plug & go

LED



Pole Accessory

Product Code(s)	18131 (Aluminium) 18132 (Brass)
Material	Marine Grade Aluminium or Solid Natural Brass
Finish	Anodised Aluminium or Brass
Dimensions	Height: 250mm Diameter: 40mm
Notes	A maximum of three poles can be used together per spotlight fitting. Natural brass is untreated and its finish will age over time.

e		

Spike Accessory		
Product Code(s)	50824	
Material	Black Nylon	
Dimensions	Height: 170mm Diameter: 45mm	
Notes	This spike is suitable for models: 18129, 18130, and 25015	

Fittings 18125-18130 can easily have their lenses changed from the standard clear version to blue, green, red or amber. Simply unscrew the lens cap to easily remove and change for different coloured effects to the surroundings.









red

green


Coloured Lenses

Product Code(s)	20326 (blue), 20328 (red), 20327 (amber), 20329 (green)
Material	Plastic
Colour	Blue, red, amber or green
Dimensions	Diameter: 50mm
Notes	Not suitable for models 25015/16/19/20. Check product information for compatable fittings.





18130 shown on optional spike and poles



29875

4W (min. load 2W, max. load 4W) 106mm L \times 25mm W \times 20mm D IP67



29874

11W (min. load 5W, max. load 11W) 106mm L x 25mm W x 20mm D IP67




29876

28W (min. load 11W, max. load 28W) 157mm L x 29mm W x 20mm D IP67



Drivers are supplied with 30cm of cable. Each fitting is supplied with 1.5m of cable.

IMPORTANT: All fittings should be plugged in prior to switching power on.



18152

cable set for plug & go fittings 6 metres long with 5 plugs spaced 1 metre apart for up to 5 fittings $% \left(1 \right) = 0$

18153

cable set for plug & go fittings 10 metres long with 9 plugs spaced 1 metre apart for up to 9 fittings

18154

cable set for plug & go fittings 16 metres long with 15 plugs spaced 1 metre apart for up to 15 fittings $% \left(1 + \frac{1}{2} \right) = 0$

- All lamps have an A+ Energy Rating and are guaranteed against failure for 2 years.
- All lamps are UV free, suitable for 220-240v and are NOT dimmable

Edison E27 lamp

H: 140mm W: 64mm Wattage: 8W (60W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 800 Lm Switch Cycles: 12,500

Classic E27 lamp

H: 105mm W: 60mm Wattage: 8W (60W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 800 Lm Switch Cycles: 12,500

Clear Globe E27 lamp

H: 135mm W: 95mm Wattage: 8W (60W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 800 Lm Switch Cycles: 12,500

White Globe E27 lamp H: 135mm W: 95mm Wattage: 8W (60W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 800 Lm Switch Cycles: 12,500



EDISON E27 LAMP Pack (x10) Code: 29655 Single Code: 28606



CLASSIC E27 LAMP Pack (x10) Code: 29657 Single Code: 28605



CLEAR GLOBE E27 LAMP Pack (x5) Code: 29658 Single Code: 28612



WHITE GLOBE E27 LAMP Pack (x5) Code: 29664 Single Code: 28613

LED LAMPS



CANDLE E14 LAMP Pack (x10) Code: 29656 Single Code: 28602



G9 LAMP Pack (x25) Code: 29661 Single Code: 27674



GOLF BALL E27 LAMP Pack (x10) Code: 29659 Single Code: 28604



GX53 LAMP Pack (x10) Code: 29663 Single Code: 29499



GOLF BALL E14 LAMP Pack (x10) Code: 29660 Single Code: 28603



GU10 LAMP Pack (x10) Code: 29662 Single Code: 27676



• All lamps have an A+ Energy Rating and are guaranteed against failure for 2 years.

• All lamps are UV free, suitable for 220-240v and are NOT dimmable

Candle E14 lamp

H: 98mm W: 35mm Wattage: 4W (35W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 400 Lm Switch Cycles: 12,500

Golf Ball E27 lamp

H: 72mm W: 45mm Wattage: 4W (35W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 400 Lm Switch Cycles: 12,500

G9 lamp

H: 50mm W: 15mm Wattage: 3.5W (28W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 320 Lm Switch Cycles: 12,500

GX53 lamp H: 24mm W: 75mm Wattage: 9W (55W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 720 Lm Switch Cycles: 12,500

Golf Ball E14 lamp

H: 78mm W: 45mm Wattage: 4W (35W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 400 Lm Switch Cycles: 12,500

GU10 lamp H: 58mm W: 50mm Wattage: 7W (50W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 620 Lm Switch Cycles: 12,500

PRODUCT WARRANTIES/GUARANTEES

GENERAL 2 YEAR GUARANTEE. All fittings supplied from this catalogue, both interior and exterior, have a manufacturer's minimum guarantee of 2 years. This means that in normal and fair service, (and without incorrect or inappropriate installation or location), any product sold by Distinctive Lighting or its partners should have no fault develop within a minimum of 2 years from purchase. Any fault that is found is covered by guarantee to be repaired or replaced at the suppliers cost, within this period.

ALL Distinctive Lighting warranties/guarantees do not cover out of pocket expenses or consequential costs.

LIMITED LIFETIME WARRANTY – This warranty relates to certain ranges/models shown in this catalogue which are produced of materials that have an exceptionally long life expectation, such as solid brass lanterns. These fittings may age over time, but will not deteriorate to an extent where they will no longer function for the purpose intended. The "Limited" element relates to component parts such as rubber seals, lamp-holders etc. which are repairable but are not covered by the Lifetime warranty.

15 YEAR WARRANTY AGAINST STRUCTURAL FAILURE – Those models listed as having a 15 year warranty are guaranteed, that from purchase to within 15 years of normal use, the fittings will not deteriorate to any extent where they experience any structural failure. There may be signs of aging, corrosion or paint fading, but the integrity of the construction of these fittings means they will not deteriorate to any extent where they are rendered unusable within a lifetime of 15 years.

2, 3, 5, AND 10 YEAR ANTI-CORROSION GUARANTEES – Many outdoor fittings have anti-corrosion guarantees stated on each relevant page. This guarantee relates to the corrosion of paintwork on cast aluminium or steel fittings, and excludes locations within 5 miles of the coastline. Fittings that have been damaged, repainted or cleaned with an aggressive cleaner may be excluded.

Prior to agreeing to replace any fittings, the company reserves the right for the original seller or a representative of the company to inspect the damaged parts and for photographic evidence to be supplied.

COASTAL LIGHTING 20 YEAR GUARANTEE – These fittings are designed to be placed in the toughest of conditions including right by the coastline without exclusion. This guarantee covers protection of the finish against corrosion or UV degradation.

COASTAL LIGHTING 5 YEAR ANTI-CORROSION GUARANTEE – This guarantee relates to the corrosion of paintwork on composite parts. In the instance that fittings have been damaged, repainted or cleaned with an aggressive cleaner they may be excluded from the entitlement to a replacement. Prior to agreeing to replace any fittings, the company reserves the right for the original seller or a representative of the company to inspect the damaged parts and for photographic evidence to be supplied.

LED MODULE AND PIR SENSOR GUARANTEES – Within this catalogue there are a number of products incorporating PIR sensors or LED modules. Whilst the fittings themselves may have varying physical guarantees against corrosion, these electronic parts are covered by a 2 year guarantee against failure. After this period, they are still repairable and serviceable, either by the company or local supplier.

GENERAL NOTES

1. FINISHES. Many of the finishes used on these ranges are hand applied (patinated) and some small variations and irregularities in the finish are to be expected from fitting to fitting. This is part of the process of manufacture and, far from being a problem, it is an important part of the nature of hand made and hand finished items. In particular, fittings with the Old Painted Bronze (OPB) finish will vary between ranges, which may appear quite significant, as they come from a number of different manufacturers.

2. LAMP-HOLDER TYPES. Most fittings are constructed with either E14 lamp-holders (small Edison screw, sometimes referred to as SES or with E27 lamp-holders (standard Edison screw, sometimes referred to as SE. Appropriate E14 and E27 lamps are widely available in a range of styles, wattages and lights sources including incandescent, compact fluorescent and LED. Some of these lamp-holders are now supplied with threaded skirts, together with candle tubes and shade rings. This means that these products can be used either as a fitting with candle tubes and candle lamps, or with glass using the shade ring. Additionally we make certain fittings which use G9 and GX53 lamps. Lamps are usually supplied with these fittings.

3. WATTAGES. Most fittings shown in the catalogue are shown with Maximum Wattage recommendations. These recommendations are calculated mainly by heat capability, as there is a correlation between heat and wattage. However, in many countries traditional incandescent lamps, such as 100W GLS are no longer available. There are now many new versions of lamps in the market, lower wattage but similar light performance such as halogen replacement, compact fluorescent and LED. Most fittings wattage capacity and certification has been based on the criteria using an Incandescent lamp and so when choosing lamps, please take care to ensure that wattages specified are of no more than the equivalent original incandescent lamps. In the case of LED, the wattages are far lower, but some of these can still run very hot, not dissimilar to incandescent of much higher power.

5. FLUSH CONVERT/DUAL MOUNT. A few of the chain models are constructed so that they can be easily modified from a chain fitting into a semi-flush fitting. Note that once converted to semi-flush it is not then possible to easily convert back to a chain fitting, as some re-wiring is likely to be required.

6. CUSTOMISATION. Some of our ranges supplied in matt black can be relatively easily patinated into finishes such as Black/Gold, Black/Copper etc. Equally, for chain suspended fittings that need extra chain and cable, these can also be relatively easily undertaken. Both such modifications may incur longer lead times and will have small additional costs added to the price. (See current Terms and Conditions). Beyond this, with appropriate lead time and client budget, more specialised changes can be undertaken such as different colours completely, changes to dimensions and design modifications and even fully bespoke fittings can be considered due to our varied manufacturing resources available.

EXTERIOR FITTINGS

1. INSTALLATION CARE AND MAINTENANCE. When installing all outdoor lights it is recommended to lightly grease all threaded parts and screws / nuts to ensure that fittings can easily be disassembled for cleaning or lamp replacement. When handling certain fittings / finishes such as polished copper they can easily finger mark, so it is recommended that bare hands on these surfaces is kept to a minimum. Please retain receipt and installation instructions for future reference.

2. FINISH MAINTENANCE. Many of our fittings are supplied in a natural finish, i.e. Polished Copper un-lacquered and Teak wood. These fittings can naturally age over time or to maintain their original appearance, treatment is needed, such as oil for teak, beeswax for brass and light oil for Copper and Stainless Steel. When handling finishes during maintenance, small marks may show which can be easily polished away if required. The alternative is to allow the material to age

and weather naturally, which does no harm to the fitting. Additionally, when installing cast aluminium fittings, a light coating of beeswax or oil can give the finish extended life, especially when in coastal areas. For all models, we highly recommend that exterior fittings are cleaned once per year with fresh water and oiled or waxed to give longer service. Lenses and glasses also benefit from cleaning but take care with polycarbonate or acrylic as these materials can easily scratch if any abrasive cloth is used.

3. IP RATINGS. All exterior fittings have an IP (Ingress Protection) rating which is a declaration of how much protection any product has against the ingress of both water and dust / particles. The minimum rating for an outdoor luminaire exposed to rain should be IP23 and the maximum can be up to IP68 (this can vary in different countries) which means the fitting is submersible. Most of our fittings are IP44 or greater and some of the Landscape models are up to IP67 meaning they can be covered by water up to a depth of 150mm, such as in-ground lights. See table below for full classifications. Typically, the higher the numbers, the higher the performance.

IP RATINGS

1st Digit	Short Description (Protection against ingress of solid bodies)	2nd Digit	Short Description (Protection against ingress of moisture)					
0 1 2 3 4 5 6	Non-Protected Protected against solid objects greater than 50mm dia. Protected against solid objects greater than 12mm dia. Protected against solid objects greater than 2.5mm dia. Protected against solid objects greater than 1mm dia. Dust-protected Dust-tight	0 1 2 3 4 5 6 7	Non-protected Protected against dripping water falling vertically greater than 50mm diameter Protected against dripping water when the Luminaire is tilted up to 15° from its normal position Protected against spraying water falling on the Luminaire at any angle up to 60° from the vertical Protected against splashing water from any angle Protected against water jets from any direction Protected against powerful water jets Protected against immersion in water under defined conditions					
		8	Protected against continuous submersion under manufacturers specified conditions					
	Example IP65 Dust-tight and protected against water jets from any direction.							


COMPLIANCE/APPROVALS

All products within this catalogue conform with the European Union Low Voltage Directive, BS EN 60598-1:2008, the product standard for luminaires recognised across Europe and all fittings are CE marked. Every luminaire is individually tested to ensure that the product is electrically sound and meets the company's quality standards. A unique test / batch number is then applied to the fitting. Please contact us for further details or advise us of your local needs.

We are manufacturing members of the UK Lighting Industry Association and conform to all aspects of the Lighting Industry Association Code of Practice for luminaire production.


ENERGY RATINGS FOR LUMINAIRES

Please see the relevant energy rating label for the corresponding lamp holder type. Please note that, with the very large number of lamp options available in the market, it is impossible for our luminaires to accurately reflect all choices. But all lamps able to be bought in the market should have their own dedicated energy rating performance clearly stated on their packaging.




All luminaires with replaceable lamps.

Incandescent, fluorescent or LED.



Dedicated LED fittings



Some of our luminaires combine built-in LED with replaceable lamps.

INDEX

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
14277	122	15025	175	16708	102	18143	199	20690	150	23672	160
14278	122	15382	132	16709	102	18144	199	20777	167	23674	160
14279	122	15523		16710	102	18145		20778	167	23675	158, 160
•••••	• • • • • • • •		108, 132	16712					• • • • • • • •	•••••	
14280	122	15525	108	•••••	104	18152	209	20781	167	23676	158, 160
14281	112			16714	105	18153	209	20782	167	23677	158
14282	113	15526	108	16716	105	18154	209	20783	167	23678	158
14283		15527	109	16717	104	18555	103	20786	167	23679	158
14284	113	15529	108	16718	104	18625	209	20787	167	23680	158
14285	113	15530	109	16719	105	18626	209	20864	157	23817	172
14286	112	15531	108	16810	104	18627	209	20907	153	23818	172
14287	123	15727	118	16811	102	18789		20987	157	23819	171
14289	123	15729		17069	123	18790	161	21238	156	24183	
14291	123	15731		17070	123	18793	161	21239	156	24386	171
14292	113	15733	119	17397	• • • • • • • •	18794		21237	• • • • • • • •	•••••	172
• • • • • • • • • • • •		15735	118	•••••	127		161		156	24387	
14293	114			17398	127		110, 132	21273	155	24388	133, 172
14294	114	15737		17399	127	18949	113	21562	191	24389	174
14295	114	15739	118	18052	125	18961	103	21647	130	24390	174
14296	114	15741	119	18055	126	19001	103	21648	128	24391	174
14297	115	15745	118	18056	124	19887	209	21650	129	24764	43
14299	115	15747	119	18098	191	20154	157	21651	129	24765	43
14300	112	15749	118	18099	191	20155	157	21652	128	24766	43
14303		15752	118	18105		20157	156	21653	128	24767	43
14305	115	16307	120	18106	193	20158	153	21655	128	24768	43
14306	112	16313	120	18107	192	20150	153	21659	• • • • • • • •	24897	
•••••	• • • • • • • •	16314	120	•••••	• • • • • • • •		• • • • • • • •	•••••		•••••	
14307	112	16317	120	18108	192	20161	154	21660	128	24898	95
14309	112			18111	192	20164	155	21662	130	24945	163
14310		16320	110	18112	192	20165	154	21663	130	24946	163
14330	175	16321	110	18114	195	20166	156	21664	130	24948	163
14377	113	16322	110	18115	195	20168	157	21667	131	24949	163
14378	117	16323	111	18116	195	20169	155	23192	49	24950	79
14381	120	16324	110	18117	195	20171	156	23193	49	24951	79
14386	108	16325	111	18120	191	20172	154	23194	48	24952	79
14487	117	16326	111	18121	191	20326	208	23195	48	24953	78
14489	116	16364	130	18123	191	20327	208	23196	166	24954	78
•••••	• • • • • • • •	16661	175	18124	• • • • • • • •	20327	• • • • • • • •	•••••	• • • • • • • •	24955	48
14491	117	16675	126	•••••	191	•••••	208	23197	166	•••••	• • • • • • • • • •
14494	116	•••••	126		131, 201	20329	208	23198	166	24956	48
14497	117	16676	• • • • • • • •		131, 201	20675	148	23199	166	24957	49
14499	116	16677	127	18127	203	20676	148	23224	165	24958	49
14501	116	16679	127	18128	203	20677	148	23225	165	25009	152
14503	116	16686	103	18129	207	20678	148	23226	165	25010	152
14505	116	16697	99	18130	207, 208	20679	148	23458	94	25011	152
14507	117	16698	99	18131	208	20680	149	23459	94	25012	152
14509		16699	98	18132	208	20681	149	23460	95	25015	205
14512	117	16700	99	18135	197	20682	149	23461	95	25016	204
14514		16701		18136		20683	149	23462		25019	201
•••••	• • • • • • • •	16702	98	• • • • • • • • • • • •	• • • • • • • •	20684		• • • • • • • • • • • •		•••••	
14729	121	16702		18137	198		149	23463		25020	204
14742			• • • • • • • •	18138	198	20685	150	23464		25080	
14750	121	16704	102	18139	198	20686	150	23465	97	25081	90
14755	121	16705	102	18140	198	20687	150	23467	50	25082	
14948	175	16706	101	18141	199	20688	150	23468	50	25083	90
15014	128	16707	101	18142	199	20689	150	23469	50	25084	93

INDEX

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
25085	89	25737	164	26112	71	27772	76	28613	210	30448	37
25086	93	25738	· · · · · · · · ·	26112		27792		29499	211	30449	
25087	89	•••••	164	•••••		• • • • • • • • • • • • •	• • • • • • • •	• • • • • • • • • • • •		• • • • • • • • • • •	
• • • • • • • • • • • •		25739	164	26115	70	27793	51	29655	210	30450	• • • • • • • • • •
25088	93	25740	164	27003	173	27794	51	29656	211	30451	73
25089	89	25840	55	27004	173	27800	129	29657	210	30452	73
25090	93	25841	55	27005	173	27811	129	29658	210	30453	73
25091	89	25842	55	27006	133, 173	27812	129	29659	211	30457	140
25092	91	25843		27007	173	27813		29660	211	30459	
25093	90	•••••		•••••		•••••	• • • • • • • •	29661	211	30460	
• • • • • • • • • • • •		25844	55	27008	171	27814	57	• • • • • • • • • • • •		• • • • • • • • • • •	
25094	91	25856	53	27009		27815	57	29662	211	30461	69
25095	90	25857	53	27021	172	27816	125	29663	211	30462	
25096	91	25858	53	27119	145	27817	125	29664	210	30463	69
25097	90	25859	53	27120	144	27818	29, 44	29874	209	30464	69
25098	92	25870	64	27121	144	27819	44	29875	209	30465	71
25099	88	•••••	• • • • • • • •	•••••		•••••	• • • • • • • •	29876	209	30466	
•••••		25871	64	27122	145	27820		• • • • • • • • • • • •	• • • • • • • •	• • • • • • • • • • •	
25115	149	25872	64	27123		27821	45	30248	36	30467	
25117	151	25873	64	27124	145	27822	45	30249		30468	
25118	151	25939	77	27136	177	27823	45	30250	36	30469	38
25119	151	25941	77	27137	177	27824	29, 45	30251	36	30470	38
25120	151	25942	77	27138	177	27825	72	30252	139	30471	39
	131, 151	•••••	• • • • • • • •	•••••	• • • • • • • • •		• • • • • • • •	30253	139	31045	153
•••••		25966	96	27139	177	27826	72	• • • • • • • • • • • •	• • • • • • • •	•••••	• • • • • • • • • •
25136	101	25967	96	27146	67	27827	46	30254	139	31046	
25140	101	25968	96	27147	67	27828	46	30255	139	31047	
25202	159	25969	96	27148	67	27829	46	30267	137	50824	208
25203	159	25970	41	27149	27,67	27830	46	30268	137	50966	182
25204	159	25971	41	27150	67	27841	42	30285	68	50967	182
25209	160			•••••		• • • • • • • • • • • •		30286	68	50968	
25210	160	25972	29, 41	27674	211	27875	29, 41	30287	68	50969	185
•••••		26003	85	27676	211	27894	181	•••••	• • • • • • • •	•••••	• • • • • • • • • •
25215	98	26004	86	27706	143	27895	54	30288	68	50970	185
25626	81	26005	85	27707	143	27896	54	30289	68	50971	179
25628	83	26006	84	27725	47	27897	54	30394	42	50972	179
25630	83	26007	86	27726	47	27898		30395	42	50973	184
25632	81	26008		27727	47	27901	147	30396	42	50974	131, 182
25634	83	•••••	• • • • • • • •	•••••		• • • • • • • • • • • •	• • • • • • • •	30397	34	50975	182
•••••	• • • • • • • • •	26009	87	27728	47	27902	147	•••••	• • • • • • • •	•••••	
25636	82	26010	85	27729		27903	147	30398	35	50976	131, 181
25638	82	26011	86	27730	143	27904	147	30399	35	50977	
25640	83	26012	87	27736	126	27905	147	30400	35	50978	184
25642	81	26013	87	27737	126	27910	124	30401	34	50979	133 , 183
25644	82	26014	84	27744	146	27911	124	30402	34	50980	183
25646	82	•••••	• • • • • • • •	•••••		• • • • • • • • • • • •	• • • • • • • •	30408		50981	183
•••••	•••••	26015		27745	146	27912	141	•••••	33	•••••	• • • • • • • • • •
25685	60	26016	75	27746	146	27913	141	30409	33	50982	187
25686	60	26017	75	27753	143	27914	141	30410	33	50983	187
25687	60	26018	75	27757	59	27915	140	30411	65	50984	187
25688	60	26019	75	27758	59	27916	140	30412	65	50985	187
25689	60	26020	75	27759	59	27917	124	30413	65	50986	178
25706	61	•••••		•••••		• • • • • • • • • • • •		30414	65	50987	178
25708	61	26051	58	27760	25	28602	211	30415	• • • • • • • •	50988	
•••••	•••••	26052	58	27761	25	28603	211	•••••	65	•••••	• • • • • • • • • •
25710	61	26053	58	27762	25	28604	211	30420	40	50989	
25712	61	26109	70	27769	76	28605	210	30421	27, 40	50990	
25735	164	26110	71	27770	76	28606	210	30422	27, 40	50991	186
25736	164	26111	71	27771		28612	210	30447	37	50992	186
•••••								•••••	•••••	•••••	• • • • • • • • • •

